

*Your
Quality Time.*



EURA MOBIL



2024/2025 season

Motorhomes 2024/2025

Equipment and technical specifications – UK Version –

www.euramobil.de

Important information regarding vehicle weights

Since each vehicle in drive mode is only permitted to exhibit an overall weight defined by the manufacturer, weight-related specifications are particularly important when purchasing a motor home or van. This is especially true when choosing packages and special equipment that is installed at the factory. It must be kept in mind that the overall weight permitted in road traffic may never be exceeded while driving. The information below is therefore intended to make configuring your vehicle easier and explain the legal requirements relating to vehicle weights. Please read this information through carefully before starting your vehicle configuration process and contact your dealer if you have any questions.

1. The technically permissible overall weight

The technically permissible overall weight in a laden state can be found in the technical data for our motor homes and vans, as well as in the configurator. This figure represents the overall weight defined by the manufacturer that the vehicle must not exceed while driving. Otherwise, in many European countries, including Germany, fines may be issued. Since you as the driver of the vehicle are responsible for complying with the technically permissible overall weight, we recommend that you check your vehicle before every journey and weigh your vehicle before setting off.

2. Weight in ready-to-drive state

The weight in ready-to-drive state refers to the weight of the vehicle (with standard features according to the manufacturer's specifications) with its fuel tank filled to at least 90% of capacity and includes the weight of the driver (which is calculated at a nominal value of 75 kg), the weight of the fuel and fluids, the weight of the superstructure and the driver's cab, and the weight of the towing hitch and the tyre repair kit (to the extent these are present).

Information regarding the weight in the ready-to-drive state can also be found in the technical data for our motor homes and vans, as well as in our configurator.

It is important to note that the weight in ready-to-drive state is a value calculated in the type approval procedure, which is subject to legally permissible fluctuations of up to +/- 5%.

Since these fluctuations impact the remaining payload of the individual vehicle, the occurrence of legally permissible fluctuations must be factored in during the configuration and selection of packages and special equipment.

Example: In the technical data, the weight in the ready-to-drive state for the floor plan you have chosen is stated as 2,910 kg. This calculated value is subject to legally permissible fluctuations of +/- 5%, i.e. +/- 146 kg. The weight in ready-to-drive state of the individual vehicle can therefore range from 2,764 kg to 3,056 kg.

We also list the legally permissible fluctuations in the technical data for our motor homes and vans, as well as in our configurator as an additional text in brackets.

3. The weight of the passengers

The weight of the passengers is calculated from the number of belt-restrained seats defined by the manufacturer and is set at a nominal 75 kg per seat, whereas the weight of the driver, which was already taken into account in the weight in the ready-to-drive state, must be deducted. In the case of a vehicle with four belt-restrained seats, the weight of the passengers is therefore 225 kg (3 x 75 kg). The number of belt-restrained seats can be found in the technical data for our motor homes and vans, as well as in our configurator. Please note that these numbers represent the highest possible number of belt-restrained seats for the series-version floor plan in question. The number of belt-restrained seats can however be reduced by the selection of packages and special equipment, or make an increase in the vehicle's load capacity necessary.

4. The actual weight of the vehicle / packages and special equipment

The actual weight of the vehicle refers to the weight of the vehicle in the ready-to-drive state plus the packages or special equipment installed at the factory and is listed under point 13.2 of the certificate of conformity (CoC). This figure does not include the special equipment or other accessories that are added by a retailer or by you personally after delivery of the vehicle from the factory.

It should be noted that the actual weight of the vehicle is also a calculated value, which may deviate from a value determined for your individual vehicle due to legally permissible fluctuations in the weight in ready-to-drive state as a calculated value of the actual vehicle weight.

Information regarding the weights of the packages and special equipment available ex works for our motor homes and vans can be found in our configurator.



5. Payload and minimum payload

The payload is the maximum load that a vehicle can carry and is calculated by subtracting the weight in ready-to-drive state, the weight of the passengers and the weight of the packages and special equipment fitted ex works from the technically permissible overall weight.

Example:

Technically permissible overall weight	3,500 kg
Weight in ready-to-drive state	- 2,910 kg
Weight of passengers	- 225 kg (3 x 75 kg)
Weight of packages / special equipment	- 100 kg
Payload	= 265 kg

The installation of packages and special equipment will accordingly always lead to a reduction in the payload. The maximum weights available for packages and special equipment for each floor plan are shown separately in the technical data for our motor homes and vans and in our configurator.

For motor homes and vans as Class M1 vehicles, compliance with a minimum payload, i.e. the minimum load that a vehicle can transport, is required by law. This minimum payload must not be undercut either when configuring a vehicle or during production and is calculated for our motor homes and vans according to the following formula:

Minimum payload in kg $\geq 10 \cdot (n + L)$

Where: "n" is the maximum number of belt-restrained seats, plus the vehicle driver, and "L" is the total length of the vehicle in metres.

Example: In the case of a motor home with 4 belt-restrained seats and a length of 7 m, the minimum payload is 110 kg (10 x [4+7]).

It is important to note that legally permissible fluctuations in the weight in ready-to-drive state can increase the payload of the individual vehicle, but can also reduce it.

Example (as previously):

Technically permissible overall weight	3,500 kg
Weight in ready-to-drive state (+ 4%)	- 3,026.4 kg
Weight of passengers	- 225 kg (3 x 75 kg)
Weight of packages / special equipment	- 100 kg
Payload	= 148.6 kg

In order to prevent such fluctuations from leading to a shortfall in the legally prescribed minimum payload, we have limited the maximum weight for packages and special equipment on the manufacturer's side based on the legally permissible fluctuations. Information regarding this can be found in the technical data for our motor homes and vans, as well as in our configurator. This data also takes into account special equipment features of country variations / special models that do not form part of the series equipment.

If the configuration process for our motor homes and vans leads to the upper limit for this as defined by the manufacturer being exceeded as a result of the choice of packages and special equipment, you can only continue with the configuration process if you deselect packages, special equipment or belt-restrained seats or choose to increase the vehicle's load capacity. Otherwise, you will not be able to configure or ordering the configured vehicle.

In exceptional cases, despite a restriction of the weights for packages and special equipment, weighing at the end of the production line can reveal that the individual vehicle's minimum payload is undercut due to legally permissible fluctuations. In such cases, we will not ship the vehicle in question before compliance with the minimum payload is ensured through the removal of packages, special equipment or belt-restrained seats or the vehicle's load capacity is increased.

Vans



Equipment highlights

- Sophisticated atmosphere with high-gloss furniture
- Interior with textile wall and ceiling covering
- Kitchen and bathroom with mineral surfaces
- Bath with swivel shower wall
- Furniture with ambient lighting
- Panoramic sky light roof hood
- Efficient insulation for all-year-round use
- Floor plans available with transverse, single and lift-up bed

PREMIUM FEATURES "MONDIAL" INCLUDED IN THE STANDARD FEATURES:

Electric parking brake

Keyless Entry & Go

Traction Plus incl. hill descent control

Steering wheel controls

Bumpers painted in the vehicle colour

16" aluminium rims

Leather steering wheel and gearshift knob

Pioneer radio

Rear-view camera

Roof - panoramic roof "Skyroof"

Manual dimming system for driver's cab

Mesh door screen

Midi-Heki skylight

Pre-cabing for solar power system

Dashboard with chrome-plated air vents

Captain chair package

Fog lights incl. cornering light

Radio preparation incl. DAB

Black skid plate

Automatic air conditioning

Inductive charging station

100 Ah lithium battery (1x)

Solar power system (200 Watt)

7" digital instrument panel

Vans – Feature packages (optional)

Driving Assistance package

Optional for: VANS

Safety package (emergency braking and lane departure assistant, rain and light sensor, traffic sign recognition, automatic beam dipping, fog light with cornering light)

Full LED headlights

Adaptive cruise control (2PP+Adaptive Cruise Control 30km/h+Intelligent Speed Assistant)

Driving assistance plus package

Optional for: VANS

Active lane departure assistant

Electrically folding mirrors

Parking assistance

Blind spot assistant with rear lateral movement detection

Adaptive cruise control (2PP+Adaptive Cruise Control 30km/h+Intelligent Speed Assistant) with stop-and-go technology

Traffic sign assistant

Pop-up edition

Optional for: VANS

Adjustable roof

Mondial package

Mondial Plus package

Driving Assistance package

Driving assistance plus package

Body 40 H

Automatic transmission

"Lanzarote Grey" paintwork

Canopy

Vans – Technical specifications



	V 595 HB	V 635 EB	V 635 HB
Basic vehicle	Fiat Ducato 35L // 35H 103 kW (140 HP)	Fiat Ducato 35L // 35H 103 kW (140 HP)	Fiat Ducato 35L // 35H 103 kW (140 HP)
Fuel tank	90 ltr Diesel + 19 ltr Ad Blue	90 ltr Diesel + 19 ltr Ad Blue	90 ltr Diesel + 19 ltr Ad Blue
Technically permissible overall weight** ¹⁾	3,500 kg	3,500 kg	3,500 kg
Weight in ready-to-drive state ²⁾	2,921 (2775 – 3067)	3,031 (2880 – 3183)	3,031 (2880 – 3183)
Maximum weights for packages and special equipment ⁴⁾	183	83	83
Permissible gross train weight with 140, 180 HP	6,000 // 6,500 kg*	6,000 // 6,500 kg*	6,000 // 6,500 kg*
Permissible trailer load (braked) with 140, 180 HP	2,500 // 3,000 kg*	2,500 // 3,000 kg*	2,500 // 3,000 kg*
Dimensions			
Total length	5,990 mm	6,360 mm	6,360 mm
Total width	2,050 mm	2,050 mm	2,050 mm
Overall height	2,650 mm	2,650 mm	2,650 mm
Interior width	1,940 mm	1,940 mm	1,940 mm
Standing height	1,890 mm	1,890 mm	1,890 mm
Wheelbase	4,035 mm	4,035 mm	4,035 mm
Standard tyres	215/70 R15 // 225/75 R16C*	215/70 R15 // 225/75 R16C*	215/70 R15 // 225/75 R16C*
Rear bed (adjustable)	1,860 x 1,490 mm	1,950 x 800 / 1,860 x 800 mm	1,850 (1,750) x 1,580 mm***
Bed in adjustable roof (optional)	1,880 x 1,200 mm	1,880 x 1,200 mm	1,880 x 1,200 mm
Number of sleeping berths	2 (3)	2 (3)	2 (3)
Permitted number of people with 3-point belt ³⁾	4	4	4
Installation			
Fresh water tank size ⁵⁾	85 l	85 l	85 l
Fresh water tank in the drive position ⁵⁾	20 l	20 l	20 l
Waste water capacity	75 l	75 l	75 l
Gas box	2 x 5 kg	2 x 5 kg	2 x 5 kg
Battery capacity	80 Ah	80 Ah	80 Ah
Charger	17 A	17 A	17 A
Refrigerator	84 l	84 l	84 l

* With 35H chassis (optional) ** The permissible overall weight must be complied with *** In the lower position, the reclining area can be extended to 1850 / 1750 x 1880mm

¹⁾Technically permissible overall weight (kg) The technically permissible overall weight in a laden state refers to the overall weight defined by the manufacturer that the vehicle may not exceed when in drive mode.

²⁾Weight in ready-to-drive state (kg) The weight in ready-to-drive state refers to the weight of the vehicle (with standard features according to the manufacturer's specifications) with its fuel tank filled to at least 90% of capacity and includes the weight of the driver (which is calculated at a nominal value of 75 kg), the weight of the fuel and fluids, the weight of the superstructure and the driver's cab, and the weight of the towing hitch and the tyre repair kit (to the extent these are present). This represents a calculated value that is subject to legally permissible fluctuations of up to ± 5% (see additional text in brackets). Since these legally permissible fluctuations impact the vehicle's payload and therefore also the weights of the packages and special equipment that can be ordered, the occurrence of such fluctuations must be factored into the configuration process and the choice of packages and special equipment.

³⁾Permitted number of people with 3-point belts The weight of the passengers is calculated at a nominal 75 kg per seat, whereas the weight of the driver, which was already taken into account in the weight in the ready-to-drive state, must be deducted. In the case of a vehicle with four belt-restrained seats, the weight of the passengers is therefore 225 kg (3 x 75 kg).

⁴⁾Maximum weights for packages and special equipment The maximum weights for packages and special equipment represent a value calculated for each floor plan with which we have restricted the weights for the packages and special equipment that can be ordered from the factory. This is intended to ensure that the legally prescribed minimum payload is complied with after the vehicle is shipped from the factory. If the configuration process leads to the upper limit for this defined by the manufacturer being exceeded as a result of the choice of packages and special equipment, you can only continue with the configuration process if you de-select packages, special equipment or belt-restrained seats or choose to increase the vehicle's load capacity. Otherwise, you will not be able to configure or ordering the configured vehicle. Please note that the calculation of the maximum weights for packages and special equipment also takes into account the special equipment features of the selected country variation / the selected special model.

⁵⁾Fresh water tank size (l) Please note that the capacity of the fresh water tank is significantly reduced in the drive position. If the payload of the individual vehicle is sufficient, it can be filled to its full capacity.

Find a Eura Mobil
dealer near you here!

Vans – Standard features

	VANS
BASIC VEHICLE	
Fiat Ducato 35L chassis, van	S
Euro 6E, AE Final incl. Ad Blue and soot particle filter	S
Driver + passenger airbag	S
ABS, ASR, Esp	S
Manual air-conditioning system	S
Cruise control	S
Fuel tank, 90 litre	S
Central locking with radio remote control	S
Daytime running lights	S
Electric window risers at the front	S
Decorative wheel trims	S
Fix & Go breakdown kit	S
Rear bumper black	S
SUPERSTRUCTURE EXTERIOR	
Sound and heat insulating roof, floor and sides	S
Body colour white	S
Body-flush frame windows, insulated, with quick-release fasteners	S
Windows with mesh screens and blackout (also in the rear doors)	S
Two side windows in the sleeping area (595HB: 1)	S
Vent windows at the rear	S
External lighting	S
Electric step	S
DRIVER'S CAB	
Cab seat cover in living area upholstery fabric	S
Carpet in the driver's cab	S
Seamless, head-high passage to the driver's cab	S
2 map compartments above the doors	S
2 double reading lights	S
Eco-leather trim with integrated LED ambient lights in the transition to the superstructure	S
LIVING AREA	
Ergonomically shaped dinette with rounded edges	S
Folding table with swivel extension and chrome-plated table base	S
Table top with cup holder	S
Living room upholstery in eco-leather / fabric combination with decorative stitching	S
Double floor storage compartments under seating group (1 pull-out, 1 folding compartment,	S
1 floor storage compartment)	S
Wall units, rear ventilation, with shelves	S
"Beach Home" furniture décor	S
Wardrobe with pull-out clothes rail	S
Smooth Touch fleece covering on the ceiling	S
Textile wall covering on the side walls	S
Window frame and skylight trims in eco-leather	S
Robust metal flap stand	S
Chrome-plated cabinet locks with handle button	S
LED functional and ambient lighting	S
USB ports and TV preparation at the seating group	S
KITCHEN	
Single-piece mineral worktop with integrated sink and foldable worktop extension	S
Pull-out / retractable kitchen tap	S
Wide pull-outs with soft-close function	S
Two-burner gas cooker with cover	S
Gas shut-off taps centrally located in the kitchen unit	S

	VANS
Compressor refrigerator with 84-litre volume	S
Spice rack with acrylic glass rail and indirect lighting	S
Ambient lighting on the kitchen unit and wall unit	S
2 flap compartments in the entrance area, 1 with bottle holder	S
1 pull-out in the kitchen unit accessible from the outside	S
Table rail for suspending the dinette table, with folding cover panel	S
BATHROOM	
Washroom with swivelling easy-to-open shower screen	S
Shower space with up to 60x90cm floor space	S
Wooden shower grate	S
Large mineral washbasin with Click-Clack anti-odour trap	S
Storage compartments in the wall unit, shower wall and wall panelling	S
Mirror cabinet	S
Hinged, 3-cm thick room door	S
Door handle with exclusive eco-leather wrapping	S
Cassette toilet	S
Washroom window with mesh screen and blackout	S
SLEEPING AREA	
Rear beds with disc springs (V 595 HB) or slatted frame and cold foam comfort mattresses	S
Rear beds can be set up for variable loading area	S
On Model 635 EB modular storage boxes under the beds	S
On Model 635 HB, drive-on ramp and load compartment cover made of metal	S
Overhead storage cupboards with shelves, back-ventilated and illuminated	S
Fabric-covered corner connector modules with integrated loudspeakers on the rear cabinets	S
Midi Heki roof hatch above sleeping area	S
2 side windows with backlit window frames and skylight trims in eco-leather (595HB: 1)	S
Swivelling LED reading spotlights with USB ports	S
Rear doors with fabric covering and opening windows	S
INSTALLATION	
4KW diesel heating	S
Hot water supply with single-lever mixer tap	S
Pressurised water pump	S
Frost-proof fresh water tank in interior	S
Heated waste water tank underfloor	S
Water drainage taps frost-proof in interior floor compartment	S
Gas box in rear storage compartment	S
External shower (not possible for V 595 HB)	S
ELECTRICAL SUPPLY	
230V sockets in kitchen, seating area and bathroom	S
Function light and ambient lighting can be switched separately	S
TV preparation and 12V socket in seating group	S
2 USB ports each in living room and sleeping area	S
Disconnecter for starter and living area battery	S
Electric automatic charger for body / vehicle battery	S
CEE external connection for 230 V with automatic circuit breaker	S
Ground fault circuit interrupter	S
On-board control panel with indication of important functions above entrance	S
CP+ heating control incl. crash sensor	S

S = Standard **P** = Package contents
O = Optional **-** = Not possible

Vans – Special equipment

S = Standard **P** = Package content
O = Optional **-** = Not possible

		V 595 HB	V 635 EB	V 635 HB	Weight difference in kg
COMFORT PACKAGES					
EVPU01-25	V595HB pop-up edition	O	-	-	215,00
EVPU02-25	V635 pop-up edition	-	O	O	215,00
EV2827-25	Eura Mobil Van Driving Assistance package	O	O	O	0,00
EV2828-25	Eura Mobil Van Driving Assistance Plus package	O	O	O	0,00
CHASSIS OPTION – ENGINE					
EV2110-25	140 HP Fiat engine	S	S	S	0,00
EV2118-25	180 HP Fiat engine (surcharge compared to 140 HP)	O	O	O	0,00
CHASSIS OPTION – OTHER OPTIONS					
EV2133-25	Fiat automatic transmission (140 HP & Light Chassis)	O	O	O	55,00
EV2134-25	Fiat automatic transmission (180 HP & Light Chassis)	O	O	O	35,00
EV2135-25	Fiat automatic transmission (140 HP & Maxi Chassis)	O	O	O	15,00
EV2136-25	Fiat automatic transmission (180 HP & Maxi Chassis)	O	O	O	-5,00
EV2220-25	16" aluminium rims	O	O	O	0,00
EV2315-25	Body 35 H	O	O	O	40,00
EV2316-25	Body 40 H	O	O	O	40,00
EV2372-25	Fuel tank, 60 litre	O	O	O	-25,00
EV3228-25	Pioneer DAB radio	O	O	O	1,00
EV3229-25	Aftersales rear-view camera	O	O	O	1,00
EV2593-25	Parking assistance	O	O	O	1,00
EV2410-25	Fiat White paintwork	S	S	S	0,00
EV2411-25	Fiat Iron Grey paintwork	O	O	O	0,00
EV2412-25	Fiat Black paintwork	O	O	O	0,00
EV2414-25	Artense Grey paintwork	O	O	O	0,00
EV2415-25	Expedition Grey paintwork	O	O	O	0,00
EV2416-25	Lanzarote Grey paintwork	O	O	O	0,00
SUPERSTRUCTURE OPTION – INTERIOR					
EV6610-25	Bar furniture	O	O	O	0,00
SUPERSTRUCTURE OPTION – CANOPIES					
EV5240-25	3.7 m mechanical canopy	O	-	-	27,00
SUPERSTRUCTURE OPTION – HEATING					
EV3617-25	Underfloor heating	O	O	O	3,00
SUPERSTRUCTURE OPTION – SUPPLY TECHNOLOGY					
EV3680-25	Manual blackout system	O	O	O	8,00
EV5221-25	Roof- panoramic roof/Skyroof	O	O	O	13,00
EV5231-25	Pre-cabling for solar power system	O	O	O	0,00
EV5232-25	Solar power system (200 Watt)	O	O	O	15,00
EV5241-25	4 m mechanical canopy	-	O	O	29,00
EV5320-25	Black pop-up roof with Skyroof	O	O	O	120,00
EV5531-25	Midi-Heki skylight	O	O	O	6,00
EV5570-25	Mesh screen for the body door	O	O	O	6,00
EV6220-25	Additional bed (conversion of seating group) for one person	O	O	O	8,00
EV7222-25	Combi D 6 E heating	O	O	O	2,00
EV7320-25	100 Ah lithium battery (1x)	O	O	O	-13,00
SUPERSTRUCTURE OPTION – TEXTILE FEATURES					
EV6110-25	"Como" upholstery fabric	S	S	S	0,00
MISCELLANEOUS					
EV9810-25	Reduction by 1 person	-	O	O	0,00
9009	Gas safety certificate, COC document or vehicle paperwork, TÜV approval and pre-carriage (mandatory)	O	O	O	0
A801	Transfer costs (mandatory)	O	O	O	0



Activa One

Equipment highlights

- GRP bodywork uses bonding technology from aviation
- Floor-wall bonding technique using PU and aluminium profiles
- Up to 2,000 kg trailer load
- Continuous double floor without steps in the living area
- Rot-protected GRP chassis
- Wood-free walls with continuous insulation
- Robust furniture with aluminium profile reinforcements (3-year guarantee)
- Bonded and all-round-sealed body composite made of hail-protected glass-fibre reinforced plastic (GRP) featuring Eura Mobil Sealed Structure Technology
- 10-year leak guarantee (up to 150,000 km)
- Underfloor heating effect in the floor you walk on
- Insulated and heated coachbuilts
- "Cellar storage space" for travel equipment in the double floor
- Robust aluminium skirts
- Hail-protected walls and roof
- 37-cm high, continuous storage space in the double floor
- Winter-proof according to EN 1646
- Isofix child seat attachment (except 570 HS and 650 HS)
- Water tanks protected in insulated and heated double floor
- 79-cm high, heated coachbuilt with folding floor
- Storage space in the double floor can be individually divided up at the dealership
- Electric access step
- Body door with window
- Bright and modern "Beach Home" interior with beach feeling

Activa One – Floor plans

**A ONE 570 HS**

Total length:	5.99 m
Total width:	2.32 m
Weight class:	3.5 t
Number of seats:	4
Sleeping berths:	4

- + Compact length combined with spacious, bright rear seating area
- + Large storage area under the rear seating group
- + Exclusively from Eura Mobil: Belt anchorage of the seating group with aluminium profiles in the side wall
- + No storage space restriction due to belt frame
- + Combination washroom with swivel washbasin and integrated shower
- + Great spatial effect due to unobstructed, open view
- + Longitudinal kitchen with 142-litre refrigerator in single arrangement

**A ONE 630 LS**

Total length:	6.44 m
Total width:	2.32 m
Weight class:	3.5 t
Seats:	4 (6) (optional)
Sleeping berths:	5

- + Lots of space with a short length
- + Spacious side bench seat, 1.90 m
- + Bathroom with separate shower in the rear
- + Plenty of freedom of movement in the kitchen
- + Large storage area under the longitudinal bench
- + Large seating area for up to 7 people

**A ONE 650 HS**

Total length:	6.50 m
Total width:	2.32 m
Weight class:	3.5 t
Number of seats:	4
Sleeping berths:	4

- + Exclusively from Eura Mobil: Single bed comfort in the coachbuilt at a manageable length of 6.50 m
- + Sliding door to the driver's cab
- + Single beds can be converted into double bed
- + Two large wardrobes under single beds
- + Spacious, bright rear seating area
- + Combination washroom with swivel washbasin and integrated shower
- + Kitchen with 142-litre refrigerator in single arrangement
- + Retractable TV pull-out at the seating group (optional)

**A ONE 690 HB**

Total length:	6.99 m
Total width:	2.32 m
Weight class:	3.5 t
Seats:	4 (6) (optional)
Sleeping berths:	6

- + Classic with two comfortable double beds
- + Huge garage
- + Large floor-to-ceiling wardrobe
- + Up to 6 belted seats
- + Combination washroom with swivel washbasin and integrated shower

**A ONE 690 VB**

Total length:	6.99 m
Total width:	2.32 m
Weight class:	3.5 t
Seats:	4 (6) (optional)
Sleeping berths:	4 (6)

- + The variable family layout
- + Extra seating group for little ones in the rear
- + Bunk beds in the rear, convertible into two double beds with pull-out slatted frames
- + Up to 6 fixed sleeping berths
- + Up to 6 belted seats
- + Large floor-to-ceiling wardrobe
- + Combination washroom with swivel washbasin and integrated shower

PREMIUM FEATURES "TRAVEL PACKAGE" INCLUDED IN STANDARD FEATURES:

Electric parking brake

Captain's chair seats

Traction Plus incl. hill descent control

Steering wheel controls

Bumpers painted in the vehicle colour

Fog lights incl. cornering light

Black skid plate

16" aluminium rims

Leather steering wheel and gearshift knob

Dashboard with techno trim design

Moniceiver (Xzent) with rear-view camera

Ambient lighting

Heki skylight roof hood

Manual dimming system for driver's cab

Mesh door screen

Pre-cabing for solar power system

Service trap; garage door in addition (left) depending on floor plan

Radio preparation incl. DAB+

Automatic air conditioning

Inductive charging station

7" digital instrument panel

Naviceiver w. rear-view camera

Carpet in the driver's cab

Multi-function exterior socket

External shower (cold/warm)

External gas socket on passenger side

Insulated curtain

Combi 6 E heating (surcharge compared to Combi 4 / Combi 6)

Lithium battery

Activa One – Feature packages (optional)

Fiat Driving Assistance package

Optional for: ACTIVA ONE

Safety package (emergency braking and lane departure assistant, rain and light sensor, traffic sign recognition, automatic beam dipping, fog light with cornering light)

Full LED headlights

Adaptive cruise control (2PP+Adaptive Cruise Control 30km/h+Intelligent Speed Assistant)

Activa One – Standard features

S = Standard **P** = Package contents
O = Optional **-** = Not possible

	ACTIVA ONE		ACTIVA ONE
CHASSIS		LIVING AREA	
140 HP engine, Euro 6E, AE Final	S	Two-tone furniture décor in wild oak and beach white	S
CCS wide track low-slung frame (1,980 mm gauge)	S	Curtain to the driver's cab (depending on floor plan)	S
Cruise control	S	Wall units with aluminium profile reinforcement	S
Manual air conditioning	S	Noise insulation for wall unit doors	S
ABS + ASR	S	7-zone cold foam mattresses	S
Driver / passenger airbag	S	Flooring with footstep sound absorption	S
Fix & Go breakdown kit	S	Upholstered fabrics: Dara	S
Daytime running lights	S		
ESP including Traction+ and hill descent control	S	KITCHEN	
16" wheels	S	Refrigerator, 140 litres (AO63OLS: 106L)	S
		3-ring hob with electric ignition, glass cover and large work surface	S
SUPERSTRUCTURE		Drawers with metal roller runners	S
Superstructure winter-proof according to EN 1646	S	Deep wall units; divided, with slide guard	S
Bodywork fully protected from hail with walls and roof made from GRP	S	Water tap with swivel non-drip outlet	S
Double floor throughout, insulated and heated	S		
Storage space in the double floor GRP-coated (floor and walls)	S	WASHROOM	
Floor panel made from GRP and additional aluminium profile reinforcement	S	Plenty of space to move around thanks to ergonomically optimised room division	S
Wood-free GRP walls, insulated throughout	S	Centre washrooms with integrated shower cubicle (570 HS, 650 HS, 690 HB, 690 VB)	S
Floor-wall joint without cold bridges	S	Separate shower on AONE 63OLS	S
Roof edge profile made from painted aluminium with joint sealing	S	Storage closet and mirror	S
Coachbuilt edge profile made from GRP with joint sealing	S	Cassette WC with large roller-mounted tank	S
Sturdy chassis side skirts made from powder-painted aluminium	S		
Heated and insulated coachbuilt	S	WATER INSTALLATION	
2 windows in the coachbuilt	S	Fresh water system made from Hartflex plastic	S
Fold-out coachbuilt floor	S	143-litre fresh water tank insulated and heated inside* (150 litres on 570 and 650 HS)	S
Safety mesh in the coachbuilt	S	2 quick-acting drain valves for fresh water in the heated and insulated double floor	S
Wall thickness of walls/roof/floor: 30/30/38mm	S	150-litre waste water tank insulated and heated in the double floor	S
Extra-large garages thanks to 37-cm high double floor	S	Fittings with ceramic cartridges	S
Electric access step	S	Siphons to prevent odours	S
Trumatic Combi 4 heating	S		
Seitz insulated window with mesh screen & blackout flush with the external wall	S	ELECTRICAL INSTALLATION	
Service flaps with double seal, insulated inlay and self-closing locks	S	Electrical distributor panel easily accessible under the passenger seat	S
Single-key system for the entire superstructure	S	80 Ah gel battery	S
Body door with window and waste bin	S	On-board control panel with separate displays for water, battery and charging voltage	S
Large tail lights in a modern design	S	LED reading spotlights with real glass	S
Mini Heki skylight over rear section	S	Light switch system with household logic system	S
Mini Heki skylight over front section	S	Ceiling lights	S
Isofix, 2 x in the direction of travel (except AO 650 HS and AO 570 HS) in the seating group	S	Number of 230 V power sockets: 2	S
LED tail lights	S	Number of 12 V power sockets: 1	S
		21 A charger	S
		USB ports: 1	S
		Exterior lighting over body door	S

Technically permissible overall weight (kg) The technically permissible overall weight in a laden state refers to the overall weight defined by the manufacturer that the vehicle may not exceed when in drive mode.

²Weight in ready-to-drive state (kg) The weight in ready-to-drive state refers to the weight of the vehicle (with standard features according to the manufacturer's specifications) with its fuel tank filled to at least 90% of capacity and includes the weight of the driver (which is calculated at a nominal value of 75 kg), the weight of the fuel and fluids, the weight of the superstructure and the driver's cab, and the weight of the towing hitch and the tyre repair kit (to the extent these are present). This represents a calculated value that is subject to legally permissible fluctuations of up to ± 5% (see additional text in brackets). Since these legally permissible fluctuations impact the vehicle's payload and therefore also the weights of the packages and special equipment that can be ordered, the occurrence of such fluctuations must be factored into the configuration process and the choice of packages and special equipment.

³Permitted number of people with 3-point belts The weight of the passengers is calculated at a nominal 75 kg per seat, whereas the weight of the driver, which was already taken into account in the weight in the ready-to-drive state, must be deducted. In the case of a vehicle with four belt-restrained seats, the weight of the passengers is therefore 225 kg (3 x 75 kg).

Activa One – Technical specifications



	A ONE 570 HS	A ONE 630 LS	A ONE 650 HS	A ONE 690 HB	A ONE 690 VB
Basic vehicle	Fiat Ducato 16" / 3.5 t	Fiat Ducato 16" / 3.5 t	Fiat Ducato 16" / 3.5 t	Fiat Ducato 16" / 3.5 t	Fiat Ducato 16" / 3.5 t
Engine model, Euro 6E, AE	103 kW (140 HP)	103 kW (140 HP)	103 kW (140 HP)	103 kW (140 HP)	103 kW (140 HP)
Engine models (optional)	130 kW (180 HP)	130 kW (180 HP)	130 kW (180 HP)	130 kW (180 HP)	130 kW (180 HP)
Chassis	Fiat CCS low-slung frame	Fiat CCS low-slung frame	Fiat CCS low-slung frame	Fiat CCS low-slung frame	Fiat CCS low-slung frame
Fuel tank	l 60 Diesel + 19 l Ad Blue	60 Diesel + 19 l Ad Blue	60 Diesel + 19 l Ad Blue	60 Diesel + 19 l Ad Blue	60 Diesel + 19 l Ad Blue
Dimensions and weights					
Double floor height	cm 37	37	37	37	37
Load volume in the double floor (double floor + rear storage space)	l 1700	1500	1700	3800	1700
Size of storage door at the rear	cm 65 x 55	85 x 41	85 x 105	82 x 105	85 x 115
Wheelbase	m 3.45	3.45	3.80	4.04	4.04
Tyres	225/75R16C	225/75R16C	225/75R16C	225/75R16C	225/75R16C
Technically permissible overall weight ¹⁾	kg 3,500	3,500	3,500 // 4,250 // 4,400 (optional)	3,500 // 4,250 // 4,400 (optional)	3,500 // 4,250 // 4,400 (optional)
Weight in ready-to-drive state ²⁾	kg 2,873 (2730 – 3017)	2,865 (2722 – 3009)	2,978 (2829 – 3127)	2,909 (2764 – 3055)	2,982 (2833 – 3131)
Maximum weights for packages and special equipment ⁴⁾	kg 217	219	106	170	95
Trailer load, braked*	kg 2,000 // 1,800 // 1,750 (optional)	2,000 // 1,800 // 1,750 (optional)	2,000 // 1,800 // 1,750 (optional)	2,000 // 1,800 // 1,750 (optional)	2,000 // 1,800 // 1,750 (optional)
Total length	kg 5.99	6.44	6.50	6.99	6.99
Total width	m 2.32	2.32	2.32	2.32	2.32
Overall height	m 3.15	3.15	3.15	3.15	3.15
Interior width	m 2.17	2.17	2.17	2.17	2.17
Standing height	m 1.98	1.98	1.98	1.98	1.98
Coachbuilt height	m 78	78	78	78	78
Dimensions of front side seating group	cm -	190 x 100	-	190 x 100	190 x 100
Dimensions of rear bed	cm 200 x 140 (conversion of the seating group)	-	200 x 140 (conversion of the seating group)	140 x 200	200 x 70 (x2) // 200 x 130(x2)
Dimensions of coachbuilt bed	cm 200 x 150	200 x 150	200 x 150 // 2 x 200 x 80	200 x 150	200 x 150
Dimensions of rear seating group/longitudinal seat bench	cm 200 x 140	190 x 60	200 x 140	-	2 x 60 x 50
Sleeping areas	4	5	4	6	6
Permitted number of people with 3-point belts ³⁾	4	4 (6) optional**	4	4 (6) optional***	4 (6) optional***
Number of Isofix	-	2	-	2	2
Window with mesh grille	5	5	5	5	4
Number of service flaps	3 (4) optional	3 (4) optional	3 (4) optional	3 (4) optional	2 optional
Wall thickness of walls, roof, floor	mm 30 / 30 / 38	30 / 30 / 38	30 / 30 / 38	30 / 30 / 38	30 / 30 / 38
Fresh water / waste water tank size ⁵⁾	l 150/150	143/150	150/150	143/150	143/150
Fresh water tank in the drive position ⁵⁾	l 10	10	10	10	10
Battery capacity	Ah 80 Gel	80 Gel	80 Gel	80 Gel	80 Gel
Refrigerator	l 142	106	142	142	142

* Note the weight of the vehicle/trailer combination **Only with belts facing away from the direction of travel ***Only with belts facing away from the direction of travel (2-point belts) and 40H chassis

⁴⁾ Maximum weights for packages and special equipment The maximum weights for packages and special equipment represent a value calculated for each floor plan with which we have restricted the weights for the packages and special equipment that can be ordered from the factory. This is intended to ensure that the legally prescribed minimum payload is complied with after the vehicle is shipped from the factory. If the configuration process leads to the upper limit for this defined by the manufacturer being exceeded as a result of the choice of packages and special equipment, you can only continue with the configuration process if you de-select packages, special equipment or belt-restrained seats or choose to increase the vehicle's load capacity. Otherwise, you will not be able to configure or ordering the configured vehicle. Please note that the calculation of the maximum weights for packages and special equipment also takes into account the special equipment features of the selected country variation / the selected special model.

⁵⁾ Fresh water tank size (l) Please note that the capacity of the fresh water tank is significantly reduced in the drive position. If the payload of the individual vehicle is sufficient, it can be filled to its full capacity.

Activa One – Special features

		A ONE 570 HS	A ONE 630 LS	A ONE 650 HS	A ONE 690 HB	A ONE 690 VB	Weight difference in kg
PACKAGES – FEATURE PACKAGES							
E-2870-25	Fiat Driving Assistance package	O	O	O	O	O	0,00
CHASSIS OPTION – ENGINE							
2112-25	180 HP Fiat engine (surcharge compared to 140 HP)	O	O	O	O	O	0.00
CHASSIS OPTION – SUPERIMPOSED LOAD							
2324-25	Increase of tot. mass to 3.65t	O	O	O	O	O	0.00
2330-25	Red of tot. mass to 3.5 t	O	O	O	O	O	0.00
2358-25	Reinforced front axle springs	O	O	O	O	O	0.00
3111-25	Heavy-duty	O	O	O	O	O	0.00
CHASSIS OPTION – OTHER OPTIONS							
2133-25	Fiat automatic transmission (140 HP & Light chassis)	O	O	O	-	-	55.00
2134-25	Fiat automatic transmission (180 HP & Light chassis)	-	-	-	O	O	35.00
2135-25	Fiat automatic transmission (140 HP & Maxi chassis)	-	-	O	-	-	15.00
2136-25	Fiat automatic transmission (180 HP & Maxi chassis)	-	-	-	O	O	-5.00
2311-25	Maxi chassis 4.25t	-	-	O	O	O	40.00
2313-25	Maxi chassis 4.4t	-	-	O	O	O	40.00
2371-25	Fuel tank, 90 litre	O	O	O	O	O	25.00
SUPERSTRUCTURE OPTION – EXTERIOR							
2581-25	Superstructure door with central locking	O	O	O	O	O	1.50
5111-25	Rear comfort supports	O	O	O	O	O	8.00
5122-25	Trailer coupling	O	O	O	O	O	35.00
5412-25	Multi-function socket	O	O	O	O	O	2.00
5441-25	External shower (cold/warm)	O	O	O	O	O	1.00
5521-25	"Sunroof" panoramic glass roof	O	O	O	O	O	24.50
5534-25	Electric roof fan	O	O	O	O	O	5.50
5535-25	Tilting roof hood (Heki)	O	O	O	O	O	23.00
5550-25	2 additional service flaps	-	O	-	-	-	5.00
5576-25	Mesh screen for the body door	O	O	O	O	O	5.00
6651-25	Service flap at the rear	O	-	O	O	O	3.00
6656-25	Garage door service flap	-	-	-	O	O	4.00
SUPERSTRUCTURE OPTION – INTERIOR							
3613-25	All-round insulation in the driver cab	O	O	O	O	O	5.00
3661-25	Insulated dividing curtain to the driver cab	O	O	-	O	O	4.00
3671-25	Carpet in the driver's cab	O	O	O	O	O	1.80
3680-25	Driver cab dimming system	O	O	O	O	O	7.00
6224-25	Additional bed for 2 people (conversion of seating group)	S	S	S	S	S	11.00
6225-25	Child's bed in the cab	O	O	O	O	O	9.80
6321-25	Seatbelts + headrests opposite the direction of travel	-	O	-	O	O	30.00
6323-25	Safety belts and headrests in direction of travel at rear	S	-	S	-	-	30.00
6341-25	Seat extension	-	O	-	-	-	10.40
6435-25	Table extension	-	O	-	O	O	3.50
7812-25	Ambient lighting	O	O	O	O	O	8.00
SUPERSTRUCTURE OPTION – BIKE CARRIER							
5146-25	Bike carrier extension kit 4-way	O	O	O	O	O	2.00
5147-25	Bike carrier for 2 bikes	O	O	O	O	O	13.00
5148-25	Lowerable E-bike carrier	-	-	-	O	O	16.00

Find a Eura Mobil
dealer near you here!

S = Standard feature
O = Optional feature at extra charge
P = Optional package feature
- = Not possible

Activa One – Special features

		A ONE 570 HS	A ONE 630 LS	A ONE 650 HS	A ONE 690 HB	A ONE 690 VB	Weight difference in kg
SUPERSTRUCTURE OPTION – CANOPIES							
5242-25	3.5 m canopy	O	-	-	-	-	28.00
5243-25	4 m canopy	-	O	O	-	-	33.00
5244-25	4.5 m canopy	-	-	-	O	O	36.00
SUPERSTRUCTURE OPTION – HEATING							
7220-25	Warm air heating	S	S	S	S	S	0.00
7228-25	Combi 6 E heating	O	O	O	O	O	1.00
7510-25	Autonomous E-bike charger	O	O	O	O	O	3.00
SUPERSTRUCTURE OPTION – KITCHEN							
7230-25	Extractor hood	O	O	O	O	O	3.00
7238-25	Oven	O	O	O	O	O	15.00
7255-25	Large refrigerator	S	O	S	S	S	18.00
SUPERSTRUCTURE OPTION – TECHNICAL SERVICES							
7321-25	Lithium battery (1x)	O	O	O	O	O	-13.00
7324-25	Lithium battery (2x)	O	O	O	O	O	17.50
7327-25	2nd gel battery - 80 Ah	O	O	O	O	O	27.00
7341-25	Pre-cabling for solar power system	O	O	O	O	O	1.50
7512-25	External gas socket	O	O	O	O	O	1.00
7516-25	Dual-control CS with de-icer	O	O	O	O	O	10.60
SUPERSTRUCTURE OPTION – FABRICS							
6111-25	Protective covers in the superstructure – upholstery for the driver and passenger seat	O	O	O	O	O	4.00
6113-25	"Milano" upholstery fabric	O	O	O	O	O	0.00
6132-25	"Dara" upholstery fabric	S	S	S	S	S	0.00
6139-25	"Genua" upholstery fabric	O	O	O	O	O	0.00
6192-25	"Maka" décor	S	S	S	S	S	0.00
6193-25	"Lasca" décor	O	O	O	O	O	0.00
6196-25	"Tisa" décor	O	O	O	O	O	0.00
6510-25	Decorative package	-	O	-	O	O	18.00
6511-25	Décor package for rear seating group	O	-	O	-	-	13.00
SUPERSTRUCTURE OPTION – MULTIMEDIA							
3215-25	Loudspeakers (2) in the superstructure	O	O	O	O	O	4.00
3237-25	Moniceiver with rear-view camera	O	O	O	O	O	1.00
3238-25	Naviceiver w. rear-view camera	O	O	O	O	O	1.00
3441-25	Flat screen wall bracket in rear area	O	-	O	-	-	1.20
3460-25	Flat screen pull-out in front area	-	O	-	O	O	4.00
SUPERSTRUCTURE OPTION – FURNITURE DÉCOR							
6471-25	"Beach Home" furniture décor	S	S	S	S	S	0.00
SUPERSTRUCTURE OPTION – OTHER							
9813-25	Reduction of permit by 1 person	O	O	O	O	O	0.00
9814-25	Reduction of permit by 2 persons	O	O	O	O	O	0.00
9815-25	Reduction of permit by 3 persons	-	O	-	O	O	0.00
9816-25	Reduction of permit by 4 persons	-	O	-	O	O	0.00
MISCELLANEOUS							
9009	Gas safety certificate, COC document or vehicle paperwork, TÜV approval and pre-carriage (mandatory)	O	O	O	O	O	0.00
A801	Transfer costs (mandatory)	O	O	O	O	O	0.00



Profila T

Equipment highlights

- 11-cm high, heated double floor with floor storage compartments
- Elegant roof transition between driver's cab and body
- Large rear garages thanks to rear lowering with fully insulated underbody trough
- Winter-proof according to EN 1646-2
- Wood-free walls with continuous insulation (rot-proof)
- New furniture architecture in "Chalet Rustico" design (3-year guarantee)
- Bonded and all-round-sealed body composite made of hail-protected glass-fibre reinforced plastic (GRP) featuring Eura Mobil Sealed Structure Technology
- 10-year leak guarantee (up to 150,000 km)
- Water tanks heated and insulated in the double floor or in heated trough
- Electrically controlled waste water tank drainage
- Central technology compartment
- 140 HP engine, Euro 6E, AE
- Noise-insulated window roller blinds (Seitz comfort roller blinds)
- Ambient lighting
- Illuminated entrance area with space for a TV of up to 32" (all floor plans except 660 EB)
- Kitchen base unit with pull-outs
- Worktop illuminated from underneath for illumination of the kitchen pull-outs
- Comfort shower with back-lit shower column (depending on floor plan)
- Shower grate in the washroom
- Single-bed floor plans with adjustable bed frame and pull-out for conversion into a double bed
- USB port for charging mobile devices
- Anchor rail for rear garage
- Seitz frame windows flush with the outer wall
- Body door with window and waste bin
- Mini-Heki skylight over rear bed
- 16" wheels
- LED exterior lighting over body door
- 230 V power socket in washroom
- Combi 4 heating starting with PT 660 EB, 675 SB, 695 EB
- Alde hot water heating for models PT 720 EB, 720 EF, 720 QF
- Front passenger airbag
- Manual air conditioning system in the driver's cab



Variable garage

On the QF models, the height-adjustable bed provides space even for the transport of bicycles.



Couldn't be any easier

The sofas in the EF and QF floor plans can be transformed into single seats in the direction of travel – with Isofix mounts – in no time.

The elegant comfort tourer.

Modern low-profile model, double floor and extensive features. Spacious room layout with stylish, high-quality interior. Agile handling and excellent all-season characteristics.



New furniture architecture with "Chalet Rustico" interior design



▼ Example floor plan: PT 720 EF



The plus points in the interior include: Wall units in a continuous line through to the driver's cab, a large panoramic roof window, two fold-out single seats with Isofix mounts and a table with a folding top.

Profila T – Floor plans



PT 660 EB

Total length:	6.99 m
Total width:	2.32 m
Weight class:	3.5 t
Number of seats:	4
Sleeping berths:	2/4 (optional)

- + Two 2m long comfort single beds
- + Extra-large rear garage with large loading volume
- + Comfortable L-shaped seating group with side bench seat
- + Screen pull-out at the seating group (optional)
- + Washroom with integrated shower and swivel washbasin
- + Longitudinal kitchen with extra-wide pull-outs and 142-litre refrigerator



PT 675 SB

Total length:	6.99 m
Total width:	2.32 m
Weight class:	3.5 t
Seats:	4 (5) (optional)
Sleeping berths:	2/4 (optional)

- + Longitudinally installed double bed with particularly comfortable entry height
- + Rear bathroom with integrated shower cubicle
- + Ergonomically designed corner kitchen with 140-litre refrigerator in individual arrangement
- + Large storage space under the rear bed for camping furniture etc.
- + Floor-to-ceiling wardrobe
- + Comfortable L-shaped seating group with 1.1-m wide sofa on the passenger side
- + Generous open space effect due to free lines of sight



PT 695 EB

Total length:	6.99 m
Total width:	2.32 m
Weight class:	3.5 t
Seats:	4 (5) (optional)
Sleeping berths:	2/4 (optional)

- + Single beds in the rear
- + Large rear garage
- + Ergonomically designed corner kitchen with 143-litre refrigerator
- + Comfortable L-shaped seating group
- + Washroom with shower and swivel washbasin



PT 720 EB

Total length:	7.41 m
Total width:	2.32 m
Weight class:	3.5 t
Seats:	3 (4) (5) (optional)
Sleeping berths:	2/4 (optional)

- + Single beds in the rear
- + Large rear garage
- + Rear bathroom with separate shower
- + Washroom as separate dressing room variably closable on both sides with sliding doors
- + Ergonomically designed corner kitchen with 142-litre refrigerator in individual arrangement
- + Comfortable L-shaped seat bench with single seat on the passenger side



PT 720 EF

Total length:	7.41 m
Total width:	2.32 m
Weight class:	3.5 t
Seats:	3 (4) (optional)
Sleeping berths:	2/4 (optional)

- + Comfort seating group with two-person sofas positioned opposite each other
- + Table with folding top, height adjustable
- + Single beds in the rear
- + Large rear garage
- + Rear bathroom with separate shower
- + Washroom as separate dressing room variably closable on both sides with sliding doors



PT 720 QF

Total length:	7.57 m
Total width:	2.32 m
Weight class:	3.5 t
Seats:	2 (3) (4) (optional)
Sleeping berths:	2 (4) (optional)

- + Comfort seating group with two-person sofas positioned opposite each other
- + Table with folding top
- + Central queen bed in the rear
- + Bed with sliding slatted frame, adjustable headboard and linen compartment
- + Large rear garage thanks to height-adjustable bed
- + Washroom variably closable on both sides with sliding doors

Profila T – Feature packages

All-inclusive

PREMIUM FEATURES "MONDIAL" INCLUDED IN THE STANDARD FEATURES:

Electric parking brake
Captain's chair seats
Steering wheel controls
Bumpers painted in the vehicle colour
Fog lights incl. cornering light
Black skid plate
16" aluminium rims
Leather steering wheel and gearshift knob
Dashboard with chrome-plated air vents
Moniceiver with rear-view camera
Body door with 2-point locking + central locking system
Roof - "Sun Roof" panoramic glass roof insulated
Electric roof fan
Manual dimming system for driver's cab
Mesh door screen
Pre-cabling for solar power system

Heki skylight roof hood
Radio preparation incl. DAB+
Automatic air conditioning
Inductive charging station
7" digital instrument panel
Naviceiver w. rear-view camera
Carpet in the driver's cab
Multi-function exterior socket
External shower (cold/warm)
External gas socket on passenger side
Insulated curtain
Combi 6 E heating (surcharge compared to Combi 4 / by PT 660 EB, 675 SB, 695 EB)
Exclusive rear design
Lithium battery

Optional

Driving Assistance package

Optional for: PROFILA T

Safety package (emergency braking and lane departure assistant, rain and light sensor, traffic sign recognition, automatic beam dipping, fog light with cornering light)

Full LED headlights

Adaptive cruise control (2PP+Adaptive Cruise Control 30km/h+Intelligent Speed Assistant)

Find a Eura Mobil
dealer near you here!

Profila T – Technical specifications



		PT 660 EB	PT 675 SB	PT 695 EB
Basic vehicle		Fiat Ducato 16" / 3.5 t	Fiat Ducato 16" / 3.5 t	Fiat Ducato 16" / 3.5 t
Engine model, Euro 6E, AE		103 kW (140 HP)	103 kW (140 HP)	103 kW (140 HP)
Engine models (optional)		130 kW (180 HP)	130 kW (180 HP)	130 kW (180 HP)
Chassis		Fiat CCS low-slung frame	Fiat CCS low-slung frame	Fiat CCS low-slung frame
Fuel tank	l	60 Diesel + 19 l Ad Blue	60 Diesel + 19 l Ad Blue	60 Diesel + 19 l Ad Blue
Dimensions and weights				
Double floor height	cm	11	11	11
Load capacity in the rear storage area	l	2700	1500	2700
Size of storage door at the rear	cm	85 x 115	85x70	85x115
Wheelbase	m	4.04	4.04	4.04
Tyres		225/75R16C	225/75 R16C	225/75 R16C
Technically permissible overall weight ¹⁾	kg	3,500 // 4,250 // 4,400 (optional)	3,500 // 4,250 // 4,400 (optional)	3,500 // 4,250 // 4,400 (optional)
Weight in ready-to-drive state ²⁾	kg	2,996 (2846 – 3145)	2,941 (2794 – 3088)	2,989 (2839 – 3138)
Maximum weights for packages and special equipment ⁴⁾	kg	61	117	68
Trailer load, braked*	kg	2,000 // 1,800 // 1,750 (optional)	2,000 // 1,800 // 1,750 (optional)	2,000 // 1,800 // 1,750 (optional)
Total length	m	6.99	6.99	6.99
Total width	m	2.32	2.32	2.32
Total height incl. Heki	m	2.86	2.86	2.86
Interior width	m	2.17	2.17	2.17
Standing height	m	1.98	1.98	1.98
Dimensions of front side seating group	cm	115 x 105	115 x 105	115 x 105
Bed conversion of the seating group ³⁾	cm	200 x 115	200 x 124	200 x 115
Dimensions of rear bed	cm	195 x 80, 195 x 80	195 x 137	190 x 80, 185 x 80
Dimension of longitudinal bench	cm	50 x 65	110 x 65	55 x 65
Sleeping areas		2/4 (optional)	2/4 (optional)	2/4 (optional)
Permitted number of people with 3-point belts ³⁾		4	4 (5) (optional)**	4 (5) (optional)**
Number of Isofix		1	1	1
Framed window with mesh screen		4	4	4
Number of service flaps		2	2	2
Wall thickness of walls, roof, floor	mm	30 / 30 / 38	30 / 30 / 38	30 / 30 / 38
Fresh water / waste water tank ⁵⁾	l	140/100	140/100	140/100
Fresh water tank in the drive position ⁵⁾	l	10	10	10
Battery capacity	Ah	80 Gel	80 Gel	80 Gel
Refrigerator	l	142	140	142

Technically permissible overall weight (kg) The technically permissible overall weight in a laden state refers to the overall weight defined by the manufacturer that the vehicle may not exceed when in drive mode.

Weight in ready-to-drive state (kg) The weight in ready-to-drive state refers to the weight of the vehicle (with standard features according to the manufacturer's specifications) with its fuel tank filled to at least 90% of capacity and includes the weight of the driver (which is calculated at a nominal value of 75 kg), the weight of the fuel and fluids, the weight of the superstructure and the driver's cab, and the weight of the towing hitch and the tyre repair kit (to the extent these are present). This represents a calculated value that is subject to legally permissible fluctuations of up to ± 5% (see additional text in brackets). Since these legally permissible fluctuations impact the vehicle's payload and therefore also the weights of the packages and special equipment that can be ordered, the occurrence of such fluctuations must be factored into the configuration process and the choice of packages and special equipment.

Permitted number of people with 3-point belts The weight of the passengers is calculated at a nominal 75 kg per seat, whereas the weight of the driver, which was already taken into account in the weight in the ready-to-drive state, must be deducted. In the case of a vehicle with four belt-restrained seats, the weight of the passengers is therefore 225 kg (3 x 75 kg).

Profila T – Technical specifications



PT 720 EB

Fiat Ducato 16" / 3.5 t

103 kW (140 HP)

130 kW (180 HP)

Fiat CCS low-slung frame

60 Diesel + 19 l Ad Blue

11

3000

80x115

4.04

225/75 R16C

3,500 // 4,250 // 4,400 (optional)

3,077 (2923 – 3230)

61

2,000 // 1,800 // 1,750 (optional)

7.41

2.32

2.86

2.17

1.98

115 x 105

200 x 115

2 x 203 x 84

55 x 65

2/4 (optional)

3 (4) (5) (optional)**

1

4

2

30 / 30 / 38

140 / 100

10

80 Gel

142

PT 720 EF

Fiat Ducato 16" / 3.5 t

103 kW (140 HP)

130 kW (180 HP)

Fiat CCS low-slung frame

60 Diesel + 19 l Ad Blue

11

3000

80x115

4.04

225/75 R16C

3,500 // 4,250 // 4,400 (optional)

3,081 (2927 – 3235)

56

2,000 // 1,800 // 1,750 (optional)

7.41

2.32

2.86

2.17

1.98

99 x 60

200 x 100

2 x 203 x 83

99 x 60

2/4 (optional)

3 (4) (optional)**

2

4

2

30 / 30 / 38

138 / 100

10

80 Gel

142

PT 720 QF

Fiat Ducato 16" / 3.5 t

103 kW (140 HP)

130 kW (180 HP)

Fiat CCS low-slung frame

60 Diesel + 19 l Ad Blue

11

1500

80 x 115

4.04

225/75 R16C

3,500 // 4,250 // 4,400 (optional)

3,136 (2979 – 3292)

84

2,000 // 1,800 // 1,750 (optional)

7.57

2.32

2.86

2.17

1.98

99 x 60

200 x 100

190 x 147

99 x 60

2/4 (optional)

2 (3) (4) (optional)**

2

4

2

30 / 30 / 38

138 / 100

10

80 Gel

142

* Note the weight of the vehicle/trailer combination

** Numbers in brackets only in conjunction with 2324 "load increase to 3.65t" or 2311/2313 Maxi chassis

4 Maximum weights for packages and special equipment The maximum weights for packages and special equipment represent a value calculated for each floor plan with which we have restricted the weights for the packages and special equipment that can be ordered from the factory. This is intended to ensure that the legally prescribed minimum payload is complied with after the vehicle is shipped from the factory. If the configuration process leads to the upper limit for this defined by the manufacturer being exceeded as a result of the choice of packages and special equipment, you can only continue with the configuration process if you de-select packages, special equipment or belt-restrained seats or choose to increase the vehicle's load capacity. Otherwise, you will not be able to configure or ordering the configured vehicle. Please note that the calculation of the maximum weights for packages and special equipment also takes into account the special equipment features of the selected country variation / the selected special model.

5 Freshwater tank size (l) Please note that the capacity of the fresh water tank is significantly reduced in the drive position. If the payload of the individual vehicle is sufficient, it can be filled to its full capacity.



Profila RS

Equipment highlights

- Lift-up bed flush with ceiling with storage compartments in stable GRP roof compartment
- Bed size (lift-up bed) 190x143cm
- Also wall units under the lift-up bed in one visual line
- Full standing height of 198 cm under the lift-up bed
- 11-cm high heated double floor with floor storage compartments
- Elegant roof transition between driver's cab and body
- Large rear garages thanks to rear lowering with fully insulated underbody trough
- Wood-free walls with continuous insulation (rot-proof)
- New furniture architecture in "Chalet Rustico" design (3-year guarantee)
- Bonded and all-round-sealed body composite made of hail-protected glass-fibre reinforced plastic (GRP) featuring Eura Mobil Sealed Structure Technology
- 10-year leak guarantee (up to 150,000 km)
- Water tanks heated and insulated in the double floor or in heated trough
- Electrically controlled waste water tank drainage
- With electrically controlled lift-up bed on request
- 140 HP engine, Euro 6E, AE
- Noise-insulated window roller blinds (Seitz comfort roller blinds)
- Ambient lighting
- Illuminated entrance area with space for a TV of up to 32" (all floor plans)
- Illuminated entrance with storage facilities
- Kitchen base unit with pull-outs instead of doors
- Worktop illuminated from underneath for illumination of the kitchen pull-outs
- Comfort rain shower with back-lit shower column (depending on floor plan)
- Shower grate in the washroom
- Single-bed floor plans with adjustable bed frame and pull-out for conversion into a double bed
- USB port for charging mobile devices
- Anchor rail for rear garage
- Seitz frame windows flush with the outer wall
- Winter-proof acc. to EN 1646-1 in conjunction w. all-round insulation (3613)
- Body door with window and waste bin
- Mini-Heki skylight over rear bed
- 16" wheels
- Exterior lighting over body door
- 230 V power socket in washroom
- Combi 6 heating starting with PRS 675 SB, 695 EB, 695 HB
- Alde hot water heating with 720 EB, 720 EF, 720 QF
- Front passenger airbag
- Manual air conditioning system in the driver's cab



For tall people

The single bed variants EB / EF have large garages and comfortable beds with bed lengths of up to 196 cm. There is a wardrobe underneath and a linen compartment under the second bed.



A clear symbol of quality

Stable GRP roof compartment on the Profila RS for the lift-up bed instead of a simple flip-up wall with a curved standard roof.



Mirror or window in the bathroom?

Both: for more light and air, the mirror cabinet can be pushed aside. "Hidden" behind it is the bathroom window – for the perfect use of space and for maximum variability for even more comfort.

For relaxed travel.

Profila RS: The Profila with lift-up bed hidden flush with the ceiling. During the day, full standing height is maintained under the bed. The bed, which can be electrically operated on demand, lies protected in an elegant and stable GRP roof compartment.



New furniture architecture with "Chalet Rustico" interior design



▼ Example floor plan: PRS 675 SB



The plus points in the interior include: Panoramic glass roof and Midi-Heki skylight for plenty of light and air in the roof storey; kitchen block with ample work space and deep, heavy-duty pull-outs, black fittings with swivel water outlet ...

Profila RS – Floor plans



PRS 675 SB

Total length:	6.99 m
Total width:	2.32 m
Weight class:	3.5 t
Seats:	4 (5) (optional)
Sleeping berths:	4 (6) (optional)

- + Longitudinally installed double bed with particularly comfortable entry height
- + Rear bathroom with integrated shower cubicle
- + Ergonomically designed corner kitchen with 140-litre refrigerator in individual arrangement
- + Large storage space under the rear bed for camping furniture etc.
- + Floor-to-ceiling wardrobe
- + Comfortable L-shaped seating group with 1.1-m wide sofa on the passenger side
- + Generous open space effect due to free lines of sight



PRS 695 EB

Total length:	6.99 m
Total width:	2.32 m
Weight class:	3.5 t
Seats:	3 (4) (5) (optional)
Sleeping berths:	4 (6) (optional)

- + Single beds in the rear
- + Large rear garage
- + Ergonomically designed corner kitchen with 142-litre refrigerator
- + Comfortable L-shaped seating group
- + Washroom with shower and swivel washbasin



PRS 695 HB

Total length:	6.99 m
Total width:	2.32 m
Weight class:	3.5 t
Seats:	3 (4) (5) (optional)
Sleeping berths:	4 (6) (optional)

- + Double bed in the rear with comfortable side entry into the rear bed
- + Large rear garage
- + Washroom with integrated shower and swivel washbasin
- + Floor-to-ceiling wardrobe
- + Ergonomic corner kitchen with 142-litre refrigerator in individual arrangement
- + Comfortable L-shaped seating group with single seat on the passenger side



PRS 720 EB

Total length:	7.41 m
Total width:	2.32 m
Weight class:	3.5 t
Seats:	2 (3) (4) (5) (optional)
Sleeping berths:	4 (6) (optional)

- + Single beds in the rear
- + Large rear garage
- + Rear bathroom with separate shower
- + Washroom as separate dressing room variably closable on both sides with sliding doors
- + Ergonomically designed corner kitchen with 142-litre refrigerator in individual arrangement
- + Comfortable L-shaped seat bench with single seat on the passenger side



PRS 720 EF

Total length:	7.41 m
Total width:	2.32 m
Weight class:	3.5 t
Seats:	2 (3) (4) (5) (optional)
Sleeping berths:	4 (6) (optional)

- + Comfort seating group with two-person sofas positioned opposite each other
- + Single beds in the rear
- + Large rear garage
- + Rear bathroom with separate shower
- + Washroom as separate dressing room variably closable on both sides with sliding doors
- + Ergonomically designed corner kitchen with 142-litre refrigerator in individual arrangement



PRS 720 QF

Total length:	7.57 m
Total width:	2.32 m
Weight class:	3.5 t
Seats:	2 (4) (optional)
Sleeping berths:	4 (6) (optional)

- + Comfort seating group with two-person sofas positioned opposite each other
- + Table with folding top
- + Central queen bed in the rear
- + Bed with sliding slatted frame, adjustable headboard and linen compartment
- + Large rear garage thanks to height-adjustable bed
- + Washroom variably closable on both sides with sliding doors

Profila RS – Feature packages

All-inclusive

PREMIUM FEATURES "MONDIAL" INCLUDED IN THE STANDARD FEATURES:

Electric parking brake	Automatic air conditioning
Captain's chair seats	Inductive charging station
Steering wheel controls	7" digital instrument panel
Bumpers painted in the vehicle colour	Naviceiver w. rear-view camera
Fog lights incl. cornering light	Carpet in the driver's cab
Black skid plate	Multi-function exterior socket
16" aluminium rims	External shower (cold/warm)
Leather steering wheel and gearshift knob	External gas socket on passenger side
Dashboard with chrome-plated air vents	Insulated curtain
Moniceiver with rear-view camera	Combi 6 E heating (for PRS 675 SB, 695 EB, 695 HB)
Body door with 2-point locking and central locking system	Exclusive rear design
Roof - "Sun Roof" panoramic glass roof insulated	Lithium battery
Electric roof fan	
Manual dimming system for driver's cab	
Mesh door screen	
Pre-cabling for solar power system	

Optional

Driving Assistance package

Optional for: PROFILA RS

Safety package (emergency braking and lane departure assistant, rain and light sensor, traffic sign recognition, automatic beam dipping, fog light with cornering light)

Full LED headlights

Adaptive cruise control (2PP+Adaptive Cruise Control 30km/h+Intelligent Speed Assistant)

Profila RS – Technical specifications



		PRS 675 SB	PRS 695 EB	PRS 695 HB
Basic vehicle		Fiat Ducato 16" / 3.5 t	Fiat Ducato 16" / 3.5 t	Fiat Ducato 16" / 3.5 t
Engine model, Euro 6d Final		103 kW (140 HP)	103 kW (140 HP)	103 kW (140 HP)
Engine models (optional)		130 kW (180 HP)	130 kW (180 HP)	130 kW (180 HP)
Chassis		Fiat CCS low-slung frame	Fiat CCS low-slung frame	Fiat CCS low-slung frame
Fuel tank	l	60 Diesel + 19 l Ad Blue	60 Diesel + 19 l Ad Blue	60 Diesel + 19 l Ad Blue
Dimensions and weights				
Double floor height	cm	11	11	11
Load capacity in the rear storage area	l	1500	2700	2700
Size of storage door at the rear	cm	85 x 70	85 x 115	85 x 115
Wheelbase	m	4.04	4.04	4.04
Tyres		225/75 R16C	225/75 R16C	225/75 R16CP
Technically permissible overall weight ¹⁾	kg	3,500 // 4,250 // 4,400 (optional)	3,500 // 4,250 // 4,400 (optional)	3,500 // 4,250 // 4,400 (optional)
Weight in ready-to-drive state ²⁾	kg	3,066 (2913 – 3220)	3,082 (2928 – 3236)	3,141 (2984 – 3298)
Maximum weights for packages and special equipment ⁴⁾	kg	13	82	22
Trailer load, braked*	kg	2,000 // 1,800 // 1,750 (optional)	2,000 // 1,800 // 1,750 (optional)	2,000 // 1,800 // 1,750 (optional)
Total length	m	6.99	6.99	6.99
Total width	m	2.32	2.32	2.32
Overall height	m	3.00	3.00	3.00
Interior width	m	2.17	2.17	2.17
Standing height	m	1.98	1.98	1.98
Dimensions of front side seating group	cm	115 x 105	115 x 105	115 x 105
Bed conversion of the seating group**	cm	200 x 124	200 x 115	200 x 115
Dimensions of rear bed	cm	195 x 137	190 x 80, 185 x 80	217 / 190 x 150
Dimensions of lift-up bed	cm	193 x 140	193 x 140	193 x 140
Dimension of longitudinal bench	cm	110 x 65	55 x 65	55 x 65
Sleeping areas		4 (6) optional	4 (6) optional	4 (6) optional
Permitted number of people with 3-point belts ³⁾		4 (5) optional***	3 (4) (5) optional***	3 (4) (5) optional***
Number of Isofix		1	1	1
Framed window with mesh screen		4	4	4
Number of service flaps		2	2	2
Wall thickness of walls, roof, floor	mm	30 / 30 / 38	30 / 30 / 38	30 / 30 / 38
Fresh water / waste water tank ⁵⁾	l	140 / 100	140 / 100	140 / 100
Fresh water tank in the drive position ⁵⁾	l	10	10	10
Battery capacity	Ah	80 Gel	80 Gel	80 Gel
Refrigerator	l	140	142	142

* Note the weight of the vehicle/trailer combination

** Not in combination with 6430 table with chrome-plated table base

*** Numbers in brackets only in combination with 2324* superimposed load to 3.65 t* or 2311/2313 Maxi chassis

Technically permissible overall weight (kg) The technically permissible overall weight in a laden state refers to the overall weight defined by the manufacturer that the vehicle may not exceed when in drive mode.

²⁾ Weight in ready-to-drive state (kg) The weight in ready-to-drive state refers to the weight of the vehicle (with standard features according to the manufacturer's specifications) with its fuel tank filled to at least 90% of capacity and includes the weight of the driver (which is calculated at a nominal value of 75 kg), the weight of the fuel and fluids, the weight of the superstructure and the driver's cab, and the weight of the towing hitch and the tyre repair kit (to the extent these are present). This represents a calculated value that is subject to legally permissible fluctuations of up to ± 5% (see additional text in brackets). Since these legally permissible fluctuations impact the vehicle's payload and therefore also the weights of the packages and special equipment that can be ordered, the occurrence of such fluctuations must be factored into the configuration process and the choice of packages and special equipment.

³⁾ Permitted number of people with 3-point belts The weight of the passengers is calculated at a nominal 75 kg per seat, whereas the weight of the driver, which was already taken into account in the weight in the ready-to-drive state, must be deducted. In the case of a vehicle with four belt-restrained seats, the weight of the passengers is therefore 225 kg (3 x 75 kg).

Profila RS – Technical specifications



PRS 720 EB	PRS 720 EF	PRS 720 QF
Fiat Ducato 16" / 3.5 t	Fiat Ducato 16" / 3.5 t	Fiat Ducato 16" / 3.5 t
103 kW (140 HP)	103 kW (140 HP)	103 kW (140 HP)
130 kW (180 HP)	130 kW (180 HP)	130 kW (180 HP)
Fiat CCS low-slung frame	Fiat CCS low-slung frame	Fiat CCS low-slung frame
60 Diesel + 19 l Ad Blue	60 Diesel + 19 l Ad Blue	60 Diesel + 19 l Ad Blue
11	11	11
3000	3000	1500
80 x 115	80 x 115	80 x 115
4.04	4.04	4.04
225/75 R16C	225/75 R16C	225/75 R16C
3,500 // 4,250 // 4,400 (optional)	3,500 // 4,250 // 4,400 (optional)	3,500 // 4,250 // 4,400 (optional)
3,160 (3002 – 3218)	3,190 (3030 – 3349)	3,229 (3068 – 3391)
83	53	21
2,000 // 1,800 // 1,750 (optional)	2,000 // 1,800 // 1,750 (optional)	2,000 // 1,800 // 1,750 (optional)
7.41	7.41	7.57
2.32	2.32	2.32
3.00	3.00	3.00
2.17	2.17	2.17
1.98	1.98	1.98
115 x 105	99 x 60	99 x 60
200 x 115	200 x 100	200 x 100
203 x 84, 203 x 84	2 x 203 x 83	190 x 150
193 x 140	193 x 140	193 x 140
55 x 65	99 x 60	99 x 60
4 (6) optional	4 (6) optional	4 (6) optional
2 (3) (4) (5) optional***	2 (3) (4) (5) optional***	2 (4) optional***
1	2	2
4	4	4
2	2	2
30 / 30 / 38	30 / 30 / 38	30 / 30 / 38
138/100	138/100	138/100
10	10	10
80 Gel	80 Gel	80 Gel
142	142	142



More information

Click here for more information on floor plans, upholstery, interiors and more.



[Find a Eura Mobil dealer near you here!](#)

⁴ **Maximum weights for packages and special equipment** The maximum weights for packages and special equipment represent a value calculated for each floor plan with which we have restricted the weights for the packages and special equipment that can be ordered from the factory. This is intended to ensure that the legally prescribed minimum payload is complied with after the vehicle is shipped from the factory. If the configuration process leads to the upper limit for this defined by the manufacturer being exceeded as a result of the choice of packages and special equipment, you can only continue with the configuration process if you de-select packages, special equipment or belt-restrained seats or choose to increase the vehicle's load capacity. Otherwise, you will not be able to configure or ordering the configured vehicle. Please note that the calculation of the maximum weights for packages and special equipment also takes into account the special equipment features of the selected country variation / the selected special model.

⁵ **Freshwater tank size (l)** Please note that the capacity of the fresh water tank is significantly reduced in the drive position. If the payload of the individual vehicle is sufficient, it can be filled to its full capacity.



Profila T Mercedes

Equipment highlights

- Also available with lift-up bed
- Mercedes Sprinter 415 CDI
- ALDE hot water heating
- AL-KO low frame
- 19.5-cm high heated double floor with floor storage compartments
- Elegant roof transition between driver's cab and body
- "Sun Roof" panoramic roof window, insulated and adjustable (optional)
- Large rear garages thanks to rear lowering with fully insulated underbody trough
- Winter-proof according to EN 1646-2
- Wood-free walls with continuous insulation (rot-proof)
- New furniture architecture in "Natural Heritage" or "Chalet Rustico" design (3-year guarantee)
- Bonded and all-round-sealed body composite made of hail-protected glass-fibre reinforced plastic (GRP) featuring Eura Mobil Sealed Structure Technology
- 10-year leak guarantee (up to 150,000 km)
- Water tanks heated and insulated in the double floor or in heated trough
- Electrically controlled waste water tank drainage
- Central technology compartment
- Noise-insulated window roller blinds (Seitz comfort roller blinds)
- Ambient lighting
- Illuminated entrance area with space for a TV of up to 32" (all floor plans)
- Kitchen base unit with pull-outs
- Worktop illuminated from underneath for illumination of the kitchen pull-outs
- Comfort rain shower with back-lit shower column (depending on floor plan)
- Shower grate in the washroom
- Single-bed floor plans with adjustable bed frame and pull-out for conversion into a double bed
- USB port for charging mobile devices
- Anchor rail for rear garage
- Seitz frame windows flush with the outer wall
- Body door with window and waste bin
- Mini-Heki skylight over rear bed
- 16" wheels
- Exterior lighting over body door
- 230 V power socket in washroom
- Front passenger airbag



Always handy
 There is plenty of additional storage space in the floor hatches and storage compartments of the double floor that can be reached from the inside in a single action.



New star era
 The modern driver's cab of the Mercedes Sprinter with innovative safety and assistance systems conveys relaxed travel comfort.



Quick loading hatch
 The exterior storage compartment integrated into the body at a convenient loading height can be used for frequently used parking spot utensils in the models from 696 EB.

A true delight.

The Profila T on the Mercedes Sprinter promises holiday enjoyment in its purest form. With great attention to detail, we have now brought our best-selling series to the highest level of perfection in the exclusive combination with the Mercedes Sprinter chassis.



Furniture architecture in "Chalet Rustico" or "Natural Heritage" interior design



▼ Example floor plan: PT 726 EF "Natural Heritage"



The plus points in the interior include: "Natural Heritage" interior in pine / walnut décor, spot lighting, free lines of sight for a spacious feel, cellar and underfloor heating in one: Heated double floor

Profila T Mercedes- Floor plans



PT 696 EB

Total length:	7.12 m
Total width:	2.32 m
Weight class:	3.5 t
Number of seats:	4
Sleeping berths:	2/4 (optional)

- + Single beds in the rear
- + Large rear garage
- + Ergonomically designed corner kitchen with 142-litre refrigerator
- + Comfortable L-shaped seating group
- + Bathroom with shower and swivel washbasin



PT 726 EB

Total length:	7.54 m
Total width:	2.32 m
Weight class:	3.5 t
Number of seats:	4
Sleeping berths:	2/4 (optional)

- + Comfortable L-shaped seat bench with single seat on the passenger side
- + Comfort kitchen with large refrigerator in individual arrangement
- + Single beds in the rear
- + Large rear garage
- + Rear bathroom with separate shower
- + Washroom as separate dressing room variably closable on both sides with sliding doors



PT 726 EF

Total length:	7.44 m
Total width:	2.32 m
Weight class:	3.5 t
Seats:	3 (4) (optional)
Sleeping berths:	2/4 (optional)

- + Comfort seating group with two-person sofas positioned opposite each other
- + Table with folding top, height adjustable
- + Single beds in the rear
- + Large rear garage
- + Rear bathroom with separate shower
- + Washroom as separate dressing room variably closable on both sides with sliding doors



PT 726 QF

Total length:	7.61 m
Total width:	2.32 m
Weight class:	3.5 t
Seats:	3 (4) (optional)
Sleeping berths:	2 (4) (optional)

- + Comfort seating group with two-person sofas positioned opposite each other
- + Table with folding top
- + Central queen bed in the rear
- + Bed with sliding slatted frame, adjustable headboard and linen compartment
- + Large rear garage thanks to height-adjustable bed
- + Washroom variably closable on both sides with sliding doors



Profila T Mercedes – Feature packages

All-inclusive

PREMIUM FEATURES "MONDIAL" INCLUDED IN THE STANDARD FEATURES:

Electric external mirrors
Captain's chair seats (Aguti)
Moniceiver with rear-view camera
Electric parking brake
Driver's cab air conditioning system
Cruise control
Heat-insulating glass with band filter
Uni black paintwork
Body door with 2-point locking + central locking system
Adjustable plastic roof – "Sun Roof" panoramic window
Electric roof fan
Heki skylight roof hood (not in combination with fold-down bed)
Manual dimming system for driver's cab
Mesh door screen
Pre-cabing for solar power system
Naviceiver w. rear-view camera
Climatronic automatic air conditioning
Leather steering wheel
16" aluminium rims
Carpet in the driver's cab
Multi-function exterior socket
External shower (cold/warm)
External gas socket on passenger side
Insulated curtain
Exclusive rear design
Lithium battery
Storage compartment under cockpit
Flap cover for storage compartments
Acoustic package
9G-Tronic automatic transmission Mercedes-Benz
170 HP engine (surcharge compared to 150 HP)

Optional

Mondial "S" package (only in combination with Mondial Plus package)

Optional for: PROFILA T MERCEDES

MBUX 10" naviceiver w. twin-eye rear-view camera
92-litre tank
4.5 m mechanical canopy
Bumpers & attachment parts in vehicle colour
17" aluminium rims
Chrome-plated radiator grille
Dashboard charging package
Storage for smartphones incl. wireless charger
Traffic sign assistant
Distronic active distance assistant
Exterior paintwork obsidian black
Truma DuoControl with remote display incl. De-icer and crash sensor

Mercedes Driving Assistance package

Optional for: PROFILA T MERCEDES

Active lane departure assistant
High beam assistant
Fog light
LED high performance headlights

Profila T Mercedes – Technical specifications



		PT 696 EB	PT 726 EB	PT 726 EF	PT 726 QF
Basic vehicle		MB Sprinter 415 CDI	MB Sprinter 415 CDI	MB Sprinter 415 CDI	MB Sprinter 415 CDI
Engine model, Euro VI		110 kW (150 HP)	110 kW (150 HP)	110 kW (150 HP)	110 kW (150 HP)
Engine models (optional)		125 kW (170 HP)	125 kW (170 HP)	125 kW (170 HP)	125 kW (170 HP)
Chassis		AL-KO chassis	AL-KO chassis	AL-KO chassis	AL-KO chassis
Fuel tank	l	60 L diesel + 22 L AdBlue	60 L diesel + 22 L AdBlue	60 L diesel + 22 L AdBlue	60 L diesel + 22 L AdBlue
Dimensions and weights					
Double floor height	cm	19.5	19.5	19.5	19.5
Load capacity in the rear storage area	l	2700	3000	3000	1500
Size of storage door at the rear	cm	85 x 115 / 85 x 95	80x115	80x115	80 x 115
Wheelbase	m	4.11	4.15	4.15	4.15
Tyres		225/75 R16C	225/75 R16C	225/75 R16C	225/75 R16C
Technically permissible overall weight ¹⁾	kg	3,500 / 4,500 (optional)	3,500 / 4,500 (optional)	3,500 / 4,500 (optional)	3,500 / 4,500 (optional)
Weight in ready-to-drive state ²⁾	kg	2,948 (2800 – 3095)	3,056 (2904 – 3209)	3,053 (2900 – 3206)	3,064 (2911 – 3217)
Maximum weights for packages and special equipment ⁴⁾	kg	84	53	58	46
Trailer load, braked*	kg	1,800 / 2,000	1,800 / 2,000	1,800 / 2,000	1,800 / 2,000
Total length	m	7.12	7.54	7.44	7.61
Total width	m	2.32	2.32	2.32	2.32
Overall height	m	2.92	2.92	2.92	2.92
Standing height	m	1.98	1.98	1.98	1.98
Dimensions of front side seating group	cm	115 x 105	115 x 105	85 x 60	85 x 60
Bed conversion of the seating group**	cm	200 x 115	200 x 115	200 x 85	200 x 85
Dimensions of rear bed(s)	cm	190 x 80 / 185 x 80	2 x 203 x 83	2 x 203 x 83	190 x 147
Dimension of longitudinal bench	cm	75 x 65	85 x 65	85 x 60	85 x 60
Sleeping areas		2 (4)	2/4 (optional)	2/4 (optional)	2/4 (optional)
Permitted number of people with 3-point belts ³⁾		4	3 (4) (Option)***	3 (4) (Option)***	3 (4) (Option)***
Framed window with mesh screen		3	4	4	4
Number of service flaps		2	2	2	2
Wall thickness of walls, roof, floor	mm	30 / 30 / 38	30 / 30 / 38	30 / 30 / 38	30 / 30 / 38
Fresh water / waste water tank ⁵⁾	l	140/100	138/100	130/100	138/100
Fresh water tank in the drive position ⁵⁾	l	10	10	10	10
Battery capacity	Ah	80 Gel	80 Gel	80 Gel	80 Gel
Refrigerator	l	142	142	142	142

* Note the weight of the vehicle/trailer combination

** Not in combination with 6430 table with chrome-plated table base

*** Numbers in brackets only in conjunction with load increase to 4.5t

Technically permissible overall weight (kg) The technically permissible overall weight in a laden state refers to the overall weight defined by the manufacturer that the vehicle may not exceed when in drive mode.

Weight in ready-to-drive state (kg) The weight in ready-to-drive state refers to the weight of the vehicle (with standard features according to the manufacturer's specifications) with its fuel tank filled to at least 90% of capacity and includes the weight of the driver (which is calculated at a nominal value of 75 kg), the weight of the fuel and fluids, the weight of the superstructure and the driver's cab, and the weight of the towing hitch and the tyre repair kit (to the extent these are present). This represents a calculated value that is subject to legally permissible fluctuations of up to ± 5% (see additional text in brackets). Since these legally permissible fluctuations impact the vehicle's payload and therefore also the weights of the packages and special equipment that can be ordered, the occurrence of such fluctuations must be factored into the configuration process and the choice of packages and special equipment.

Permitted number of people with 3-point belts The weight of the passengers is calculated at a nominal 75 kg per seat, whereas the weight of the driver, which was already taken into account in the weight in the ready-to-drive state, must be deducted. In the case of a vehicle with four belt-restrained seats, the weight of the passengers is therefore 225 kg (3 x 75 kg).

Maximum weights for packages and special equipment The maximum weights for packages and special equipment represent a value calculated for each floor plan with which we have restricted the weights for the packages and special equipment that can be ordered from the factory. This is intended to ensure that the legally prescribed minimum payload is complied with after the vehicle is shipped from the factory. If the configuration process leads to the upper limit for this defined by the manufacturer being exceeded as a result of the choice of packages and special equipment, you can only continue with the configuration process if you de-select packages, special equipment or belt-restrained seats or choose to increase the vehicle's load capacity. Otherwise, you will not be able to configure or order the configured vehicle. Please note that the calculation of the maximum weights for packages and special equipment also takes into account the special equipment features of the selected country variation / the selected special model.

Fresh water tank size (l) Please note that the capacity of the fresh water tank is significantly reduced in the drive position. If the payload of the individual vehicle is sufficient, it can be filled to its full capacity.

All-inclusive


Whether it be ample storage space, weather protection thanks to a body made from GRP material, winter resistance and underfloor heating comfort thanks to heated double floors, insurance advantages or generous guarantees – we've thought of everything so that you can enjoy your holiday worry-free.

” Quality and progress are hugely important at Eura Mobil.



Sealed Structure

The Eura Mobil principle of seal-vouched quality: A fully protected structure is built from a fully bonded, seamlessly sealed chassis with corrosion-resistant materials in the floor panel, walls and roof.



Withstands winter

To make the feel-good experience on trips and holiday independence perfect, all Eura Mobil motorhomes offer winter-proof on-board technology that is installed in a space-saving manner in the end-to-end double floor construction.



GRP body

The GRP body makes Eura Mobil motorhomes particularly robust representatives of their class. Components made of GRP offer the best long-term quality through optimal protection against mechanical, chemical or weather-related influences.




Furniture construction

Did you know? The furniture of a large A-class model alone comprises almost 1,000 parts. This complex task calls for the furniture of our motorhomes to be designed using state-of-the-art CAD workstations.



Double floor

To offer you every kind of freedom, all Eura Mobil motorhomes are suitable for use all year round and specially equipped for the "great escape".




Sleeping comfort

The comfortable beds and mattresses in your Eura Mobil are the product of our careful development work and your personal choice.



Kitchens

With the exclusive kitchens from Eura Mobil, you can also free yourself from the rigours of set mealtimes: Why not have breakfast on the beach again, or perhaps enjoy lunch in the mountains ...



Wellness

When days are full of adventure, new discoveries and new experiences, evenings are ideal for retreating into an oasis of calm in your motorhome. For relaxation and recuperation, for refreshment and enjoyment.



Contura

Equipment highlights

- Mercedes Sprinter 415 CDI
- Starlight Dome panoramic glass roof with smart-lift and soft-close function (optional)
- 19.5-cm high heated double floor
- Storage space expansion through floor compartments and lowered side storage compartments (depending on floor plan)
- Single-piece GRP rear wall, shaped three-dimensionally
- LED direction-indicating dynamic turn signals at the rear
- LED tail lights
- AL-KO low-frame chassis with up to 4.5 t perm. total weight
- ALDE hot water heating
- Lounge sofa with back cushions and seat box cover
- 177-litre refrigerator with 35-litre freezer compartment
- Kitchen with two-part chopping board as sink cover
- Spring arm fitting or retractable water tap
- Fresh and waste water tank frost-protected in heated double floor
- Drainage valves, insulated and heated in the central service compartment
- Electrically controlled waste water tank drainage
- Large rear garages thanks to rear lowering with fully insulated underbody trough
- Winter-proof according to EN 1646-2
- Wood-free walls with continuous insulation (rot-proof)
- Robust furniture with aluminium profile reinforcements (3-year guarantee)
- Bonded and all-round-sealed body composite made of hail-protected glass-fibre reinforced plastic (GRP) featuring Eura Mobil Sealed Structure Technology
- 10-year leak guarantee (up to 150,000 km)
- Front-wheel drive
- 150 HP engine
- More headroom in the driver's cab thanks to specially shaped roof cut-out
- Extensive and voice-controlled assistance systems (MBUX) Safety systems possible as an option
- Noise-insulated window roller blinds
- Dimmable ambient lighting
- Illuminated entrance with storage facilities
- Kitchen base unit with pull-outs instead of doors
- Comfort rain shower with back-lit shower column (depending on floor plan)
- Shower grate in the washroom
- Single-bed floor plans with adjustable bed frame and conversion into a double bed
- USB port for charging mobile devices
- Anchor rail for rear garage
- Body door with window and waste bin
- Mini-Heki skylight over rear bed
- Headboard with ambient lighting



Starlight dome panoramic roof

20% larger surface area than a tilting roof window and 100% inspiration – thanks to the smart-lift and soft-close functions and a guaranteed box seat under a starlit sky. Simply lift with two fingers instead of cranking! In combination with the panorama glass in the hood, this guarantees a bright living area.



Wall unit storage compartments

The compartments under the wall units with indirect lighting are the perfect shelves for books, smartphones and other small items



Rear design

A three-dimensionally shaped rear wall made of one "cast", including LED direction-indicating dynamic turn signals, shows the class of the Contura from afar.

Welcome to the starry side of life.

Luxury low-profile model with sophisticated interior and exclusive features. Available on Mercedes Sprinter with extensive comfort and safety assistance systems.



Travel relaxed and enjoy the five-star surroundings.



▼ Example floor plan: C 766 EF



The plus points in the interior include: A perfectly sized roof cut-out for maximum headroom, fine furniture with a high-gloss finish, super-comfortable "face-to-face" seating group with folding table, stylish upholstery with fine decorative stitching.

Contura – Floor plans and technical specifications



C 766 EB

Total length:	7.84 m
Total width:	2.32 m
Weight class:	4.5 t
Number of seats:	4
Sleeping berths:	2 (4)

- + Single beds in the rear
- + Large rear garage
- + Rear bathroom with separate shower
- + Wardrobe pull-out
- + Washroom as separate dressing room variably closable on both sides with doors
- + Ergonomically designed corner kitchen with 177-litre refrigerator in individual arrangement
- + Comfortable L-shaped seat bench with single seat on the passenger side



C 766 EF

Total length:	7.84 m
Total width:	2.32 m
Weight class:	4.5 t
Number of seats:	4
Sleeping berths:	4

- + Comfort seating group with two-person sofas positioned opposite each other
- + Table with folding top, height adjustable
- + Single beds in the rear
- + Large rear garage
- + Rear bathroom with separate shower
- + Wardrobe pull-out
- + Washroom as separate dressing room variably closable on both sides with doors
- + Ergonomically designed corner kitchen with 177-litre refrigerator in individual arrangement
- + Kitchen with retractable tap and foldable worktop extension

C 766 EB

C 766 EF

Basic vehicle

MB Sprinter 415 CDI

MB Sprinter 415 CDI

Engine model, Euro 6d Final	103 kW (150 HP)	103 kW (150 HP)
Engine models (optional)	125 kW (170 HP)	125 kW (170 HP)
Chassis	AL-KO chassis	AL-KO chassis
Fuel tank	65 l Diesel + 22 l AdBlue	65 l Diesel + 22 l AdBlue

Dimensions and weights

Double floor height	cm	19.5	19.5
Load capacity in the rear storage area	l	3000	3000
Size of storage door at the rear	cm	2 x 85 x 115	2 x 85 x 115
Wheelbase	m	4.45	4.45
Tyres		225/75 R16C	225/75 R16C
Technically permissible overall weight ¹⁾	kg	4500	4500
Weight in ready-to-drive state ²⁾	kg	3,132 (2976 – 3289)	3,197 (3037 – 3357)
Maximum weights for packages and special equipment ⁴⁾	kg	827	762
Trailer load, braked*	kg	2000	2000
Total length	m	7.84	7.84
Total width	m	2.32	2.32
Overall height	m	2.92	2.92
Standing height	m	1.98	1.98
Dimensions of front side seating group	cm	115 x 105	100 x 65
Bed conversion of the seating group**	cm	100 x 190	90 x 200
Dimensions of rear bed(s)	cm	195 x 80 / 200 x 80	195 x 80 / 200 x 80
Dimension of longitudinal bench	cm	62 x 65	100 x 65
Sleeping areas		2 (4)	2 (4)
Permitted number of people with 3-point belts ³⁾		4	4
Number of Isofix		-	2
Framed window with mesh screen		3	3
Number of service flaps		4	4
Wall thickness of walls, roof, floor	mm	30 / 30 / 38	30 / 30 / 38
Fresh water / waste water tank ⁵⁾	l	140/100	138/100
Fresh water tank in the drive position ⁵⁾	l	10	10
Battery capacity	Ah	80 Gel	80 Gel
Refrigerator	l	177	177

* Note the weight of the vehicle/trailer combination

** Not in combination with 6430 table with chrome-plated table base

Contura – Feature packages

All-inclusive

PREMIUM FEATURES "LUMINARY"
INCLUDED IN THE STANDARD FEATURES:

Bumpers & attachment parts in vehicle colour	Inductive charging station
Electric exterior mirrors	Traffic sign assistant
17" aluminium rims	DISTRONIC active distance assistant
Driver's cab comfort seats (Contura)	Adjustable panoramic roof hood
MBUX 10" naviceiver w. twin-eye rear-view camera	Exterior paintwork obsidian black
Electric parking brake	Body door with 2-point locking and central locking system
Chrome-plated radiator grille	Starlight dome
9G-Tronic automatic transmission Mercedes-Benz	Electric roof fan
170 HP engine (surcharge compared to 150 HP)	Manual dimming system for driver's cab
92-litre tank	Mesh door screen
Heat-insulating glass with band filter	Pre-cabling for solar power system
Carbon exterior design	Extractor hood
Storage compartment under cockpit	Carpet in the driver's cab
Flap cover for storage compartments	Multi-function exterior socket
Acoustic package	External shower (cold/warm)
Acoustic package	External gas socket on passenger side
Climatronic automatic air conditioning	Insulated curtain
Dashboard charging package	Lithium battery
Leather steering wheel	Truma DuoControl with remote display incl. De-icer and crash sensor

Optional

Driving Assistance package

Optional for the: CONTURA

Active lane departure assistant
 High beam assistant
 Tyre air pressure sensors
 Fog light
 LED high performance headlights

¹**Technically permissible overall weight (kg)** The technically permissible overall weight in a laden state refers to the overall weight defined by the manufacturer that the vehicle may not exceed when in drive mode.

²**Weight in ready-to-drive state (kg)** The weight in ready-to-drive state refers to the weight of the vehicle (with standard features according to the manufacturer's specifications) with its fuel tank filled to at least 90% of capacity and includes the weight of the driver (which is calculated at a nominal value of 75 kg), the weight of the fuel and fluids, the weight of the superstructure and the driver's cab, and the weight of the towing hitch and the tyre repair kit (to the extent these are present). This represents a calculated value that is subject to legally permissible fluctuations of up to ± 5% (see additional text in brackets). Since these legally permissible fluctuations impact the vehicle's payload and therefore also the weights of the packages and special equipment that can be ordered, the occurrence of such fluctuations must be factored into the configuration process and the choice of packages and special equipment.

³**Permitted number of people with 3-point belts** The weight of the passengers is calculated at a nominal 75 kg per seat, whereas the weight of the driver, which was already taken into account in the weight in the ready-to-drive state, must be deducted. In the case of a vehicle with four belt-restrained seats, the weight of the passengers is therefore 225 kg (3 x 75 kg).

⁴**Maximum weights for packages and special equipment** The maximum weights for packages and special equipment represent a value calculated for each floor plan with which we have restricted the weights for the packages and special equipment that can be ordered from the factory. This is intended to ensure that the legally prescribed minimum payload is complied with after the vehicle is shipped from the factory. If the configuration process leads to the upper limit for this defined by the manufacturer being exceeded as a result of the choice of packages and special equipment, you can only continue with the configuration process if you de-select packages, special equipment or belt-restrained seats or choose to increase the vehicle's load capacity. Otherwise, you will not be able to configure or ordering the configured vehicle. Please note that the calculation of the maximum weights for packages and special equipment also takes into account the special equipment features of the selected country variation / the selected special model.

⁵**Freshwater tank size (l)** Please note that the capacity of the fresh water tank is significantly reduced in the drive position. If the payload of the individual vehicle is sufficient, it can be filled to its full capacity.

Low-profile – Standard features

	PROFILA T	PROFILA RS	PROFILA T MERCEDES	CONTURA
CHASSIS				
140 HP engine, Euro 6E, AE	S	S	-	-
150 HP engine, Euro VI	-	-	S	S
CCS wide track low-slung frame (1,980 mm gauge)	S	S	-	-
ALKO low-slung frame chassis	-	-	S	S
ABS	S	S	S	S
Manual air conditioning	S	S	O	O
Frame extension	S	S	S	S
Driver / passenger airbag	S	S	S	S
Electric window risers, driver's cab central locking system	S	S	S	S
Fix & Go breakdown kit	S	S	S	S
Daytime running lights	S	S	S	S
16" wheels	S	S	S	S
ESP including Traction+ and hill descent control	S	S	-	-
ASR, EBD and ESP	-	-	S	S

DRIVER'S CAB

GRP hood, insulated, with large storage compartments	S	S	S	S
Stylish fenders, wide designs	S	S	S	S
Protective covers in the superstructure – upholstery for the driver and passenger seat	S	S	S	S
Storage closets in the driver's cab, visually integrated into the living room	-	-	-	S
Curved roof with elegant transition to the superstructure	-	S	-	-
GRP roof compartment with integrated lift-up bed	-	S	-	-

SUPERSTRUCTURE

Lightweight construction double floor throughout, insulated and heated	S	S	S	S
Aluminium profile without cold bridges for floor-wall joint	S	S	S	S
Floor hatches with folding handle	S	S	S	S
Lightweight construction floor panel with aluminium inlay	S	S	S	S
Wood-free GRP walls	S	S	S	S
GRP double floor	S	S	S	S
PVC floor covering with footstep sound insulation	S	S	S	S
Roof edge profile made from powder-coated aluminium with joint sealing	S	S	S	S
Mini Heki skylight roof hood over front section	S	S	S	S
Sturdy chassis side skirts made from powder-coated aluminium	S	S	S	S
Roof, wall, flooring made from GRP, fully insulated	S	S	S	S
Wall thickness of walls/roof/floor: 30/30/38mm	S	S	S	S

	PROFILA T	PROFILA RS	PROFILA T MERCEDES	CONTURA
Isofix, 2 x in driving direction	S (EF/QF models only)	S (EF/QF models only)	S (EF/QF models only)	S (EF models only)
Isofix, 1 x in driving direction	S (675 SB, 695 EB, 720 EB)	S (675 SB, 695 EB, 720 EB)	S (726 EB, 696 EB)	EB only
Integrated double access step, insulated	S	S	-	-
Anti-slip surface on garage floor	S	S	S	S
Electric access step	-	-	S	S
Trumatic Combi 4 heating (for vehicles up to 7m long)	S/-	S/-	-	-
Alde hot water heating for models from 7.01 m length	S/-	S/-	S	S
Seitz framed window with mesh screen flush with the external wall	S	S	S	S
Service flaps with double seal, insulated inlay and rotary-knob locks	S	S	S	S
Single key for entire superstructure	S	S	S	S
Noise insulation for wall unit doors	S	S	S	S
Large LED tail lights in Integra design	S	S	S	-
Big LED tail lights with dynamic turn signals with direction indicators	-	-	-	S
Fully moulded rear made of GRP	-	-	-	S
Diffuser elements in black gel coat integrated into single-piece rear section	-	-	-	S
Additional, lowered side and floor storage compartments (depending on floor plan)	-	-	S	S
Compartment shelves in the upper floor with access from the interior	S	S	S	-
Exterior lighting over the body door	S	S	S	S
Extra-wide body door with window and waste bin	S	S	S	S
Roof compartment for ceiling-flush lift-up bed	-	S	-	-
Lightweight upper floor	S	S	S	S
Double-moulded GRP sandwich roof	S	S	S	S
Garage lowering system with insulated well	S	S	S	S

LIVING AREA

"Chalet Rustico" interior	S	S	S	-
"Natural Heritage" interior	-	-	O	-
"Navarra" interior	-	-	-	S
Upholstered fabric: Como or Dara	S	S	S	S
Spacious sofa with longitudinal seat on passenger side	S	S	S	S
Table with 360° turning and sliding fixture	S	S	S	S
Two-tone furniture décor	S	S	S	S
Wall unit doors with solid spring closures	S	S	S	S
Wall units with aluminium profile reinforcements	-	-	-	S

Low-profile – Standard features

S = Standard **P** = Package contents
O = Optional **-** = Not possible

	PROFILA T	PROFILA RS	PROFILA T MERCEDES	CONTURA
Wall units with high-gloss coating and chrome appliqués	-	-	-	S
Wall units with storage compartments, indirect illumination and rear ventilation	-	-	-	S
Entrance area with illuminated handle and handy storage compartments	S	S	S	S
Rear storage spaces with anchor bars, straps and storage boxes	-	-	-	S
7-zone cold foam mattresses	S	S	S	S
Ambient lighting	S	S	S	S
Living environment with decorative elements	S	S	S	S
Mechanical lift-up bed, integrated into the ceiling	-	S	S	-
Mini Heki skylight over rear bed	S	S	S	S
Mini Heki skylight over lift-up bed	-	S	-	-
Lounge sofa with back cushions and seat box cover	-	-	-	S
High-quality multi-zone upholstery for living room seats	-	-	-	S
Bed headboard with chrome appliqués and ambient lighting	-	-	-	S

KITCHEN

Flow-Line design kitchen with ergonomically shaped worktop	-	-	-	S
Flowing transition from the kitchen front to the sofa on models with corner kitchen	S	S	S	S
Curved kitchen front	-	-	-	S
140 l to 160 l refrigerator (depending on floor plan)	S	S	S	S
Hob with electric ignition, glass cover and large work surface, number of burners	2	2	2	3
Pull-outs with self-closing mechanism and soft stop, metal roller runners	S	S	S	S
Divided deep wall units with slide guards	S	S	S	S
Colour-accentuated wall units	S	S	S	S
Extra-wide drawer	S	S	S	S
Chrome-plated tap	-	-	-	S
Water tap with swivel non-drip outlet (EF/QF models with retractable water tap)	S	S	S	S
Worktop with indirect illumination for pull-outs	-	-	-	S
Mineral sink with two-part chopping board as sink cover	-	-	-	S
Door with reed grass inlay (depending on floor plan)	-	-	-	S

WASHROOM

Centre washroom w. integr. shower room (660 EB, 696 EB)	S	S	S	-
Rear washroom with integrated shower cubicle (675 SB)	S	S	-	-
Separate shower (720, 726, 766)	S	S	S	S

	PROFILA T	PROFILA RS	PROFILA T MERCEDES	CONTURA
Storage closet and mirror	S	S	S	S
Large roller-mounted tank for cassette WC	S	S	S	S
230V power socket	S	S	S	S
Bench toilet with folding wooden bench (depending on floor plan)	S	S	S	S
Bathroom with separate shower (C 766 EB/EF/QB, PT/PRS 720 EB/EF/QF, 726 EB/EF, QF)	S	S	S	S
Shower wall in slate look, with wall heating and reed grass inlay (C 766 EB/EF/QB, PT/PRS 720 EB/EF)	S	S	S	S
Washbasin made from mineral material	-	-	-	S

WATER INSTALLATION

Fresh water system made from Hartflex plastic	S	S	S	S
Fixed pipe system for waste water	S	S	S	S
140 l insulated and heated fresh water tank in the double floor	S	S	-	-
Insulated and heated 138 l or 140 l fresh water tank and 100 l waste water tank in the double floor *	-	-	S	S
Central service compartment with access to the water drainage taps	S (EF only)	S (EF only)	S (EF only)	S
100 l waste water tank in insulated and heated floor trough	S	S	-	-
Electrically operated waste water tank emptying at the push of a button	S	S	S	S
Fittings with ceramic cartridges	S	S	S	S
Siphons to prevent odours	S	S	S	S
Pressurised water pump	S	S	S	S
2 drainage valves for fresh water system	S	S	S	S
Drain valves insulated and heated	S	S	S	S

ELECTRICAL INSTALLATION

Electrical distributor panel easily accessible under the passenger seat	S	S	-	-
80 Ah gel battery	S	S	S	S
On-board control panel with separate displays for water, battery and charging voltage	S	S	S	S
LED reading spotlights	S	-	S	S
Light switch system with household logic system	S	S	S	S
Ceiling lights with double function light and/or LED ambience	S	S	S	-
Number of 230 V power sockets: 3	S	S	S	S
Number of 12 V power sockets: 1	S	S	S	S
Number of USB ports: 3	S	S	S	S
21 A charger	S	S	S	S
LED ambient lighting, dimmable and programmable	-	-	-	S
LED function lights in the centre of the ceiling and in the lateral ceiling struts	-	-	-	S

Low-profile – Special features

		PROFILA T						PROFILA RS						PROFILA T MERCEDES				CONTURA MERCEDES		Weight difference in kg
		PT 660 EB	PT 675 SB	PT 695 EB	PT 720 EB	PT 720 EF	PT 720 QF	PRS 675 SB	PRS 695 EB	PRS 695 HB	PRS 720 EB	PRS 720 EF	PRS 720 QF	PT 696 EB	PT 726 EB	PT 726 EF	PT 726 QF	C 766 EB	C 766 EF	
PACKAGES – FEATURE PACKAGES																				
PSM11-25	Profila T MB 696 EB Mondial S package	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	-	-	65,00
PSM12-25	Profila T MB 726 Mondial S package	-	-	-	-	-	-	-	-	-	-	-	-	-	0	0	0	-	-	68,00
2870-25	Fiat motorhomes Driving Assistance package	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-	-	-	0,00
2868-25	Mercedes-Benz Profila T Driving Assistance package	-	-	-	-	-	-	-	-	-	-	-	-	0	0	0	0	-	-	1.00
2867-25	Mercedes-Benz Contura Driving Assistance package	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	0	1.00
CHASSIS OPTION – ENGINE																				
2112-25	180 HP Fiat engine (surcharge compared to 140 HP)	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-	-	-	0.00
2121-25	170 HP Mercedes-Benz engine	-	-	-	-	-	-	-	-	-	-	-	-	0	0	0	0	0	0	0.00
2123-25	150 HP Mercedes-Benz engine	-	-	-	-	-	-	-	-	-	-	-	-	S	S	S	S	S	S	0.00
2160-25	140 HP Fiat engine	S	S	S	S	S	S	S	S	S	S	S	S	-	-	-	-	-	-	0.00
CHASSIS OPTION – SUPERIMPOSED LOAD																				
2324-25	Increase of tot. mass to 3.65t	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-	-	-	0.00
2329-25	Increase of tot. mass to 4.5t	-	-	-	-	-	-	-	-	-	-	-	-	0	0	0	0	-	-	0.00
2330-25	Red of tot. mass to 3.5 t	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-	-	-	0.00
2311-25	Maxi chassis 4.25t	0	0	0	0	0	-	0	0	0	0	0	0	-	-	-	-	-	-	40.00
2313-25	Maxi chassis 4.4t	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-	-	-	40.00
2358-25	Reinforced front axle springs	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-	-	-	0.00
CHASSIS OPTION – OTHER OPTIONS																				
2132-25	9G-Tronic automatic transmission Mercedes-Benz	-	-	-	-	-	-	-	-	-	-	-	-	0	0	0	0	0	0	30.00
2133-25	Fiat automatic transmission (140 HP & Light Chassis)	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-	-	-	35.00
2134-25	Fiat automatic transmission (180 HP & Light Chassis)	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-	-	-	35.00
2135-25	Fiat automatic transmission (140 HP & Maxi Chassis)	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-	-	-	15.00
2136-25	Fiat automatic transmission (180 HP & Maxi Chassis)	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-	-	-	-5.00
2371-25	Fuel tank, 90 litre	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-	-	-	25.00
2372-25	Fuel tank, 92 litre	-	-	-	-	-	-	-	-	-	-	-	-	0	0	0	0	0	0	22.10
EXTERIOR DESIGN – PAINTWORK																				
2421-25	Paintwork obsidian black	-	-	-	-	-	-	-	-	-	-	-	-	0	0	0	0	0	0	0.00
2424-25	Uni black paintwork MB	-	-	-	-	-	-	-	-	-	-	-	-	0	0	0	0	-	-	0.00

Low-profile – Special features

		PROFILA T						PROFILA RS						PROFILA T MERCEDES				CONTURA MERCEDES		Weight difference in kg
		PT 660 EB	PT 675 SB	PT 695 EB	PT 720 EB	PT 720 EF	PT 720 QF	PRS 675 SB	PRS 695 EB	PRS 695 HB	PRS 720 EB	PRS 720 EF	PRS 720 QF	PT 696 EB	PT 726 EB	PT 726 EF	PT 726 QF	C 766 EB	C 766 EF	
5451-25	Carbon external décor	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	O	O	2.00
SUPERSTRUCTURE OPTION – EXTERIOR																				
2581-25	Superstructure door with central locking	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	1.50
2834-25	Exclusive rear design	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	-	-	0.10
5111-25	Rear comfort supports	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	8.00
5122-25	Trailer coupling	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	35.00
5412-25	Multi-function socket	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	2.00
5423-25	Underfloor camera for electrical tank emptying	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	O	O	1.00
5441-25	External shower (cold/warm)	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	1.00
5512-25	Window in toilet room	-	O	-	S	S	S	-	-	-	S	S	S	-	S	S	S	S	S	4.00
5521-25	"Sunroof" panoramic glass roof	O	O	O	O	O	O	O	O	O	O	O	O	-	-	-	-	-	-	24.50
5522-25	Starlight Dome panor.ma roof w. smart lift & soft close functions	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	S	S	30.00
5523-25	Adjustable roof hood	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	S	S	12.60
5524-25	"Sun Roof" panoramic roof window, insulated and adjustable	-	-	-	-	-	-	-	-	-	-	-	-	O	O	O	O	-	-	7.00
5534-25	Electric roof fan	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	5.50
5535-25	Tilting roof hood (Heki)	O	O	O	O	O	O	-	-	-	-	-	-	O	O	O	O	-	-	23.00
5576-25	Mesh screen for the body door	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	5.00
SUPERSTRUCTURE OPTION – INTERIOR																				
3541-25	Comfort seats	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	O	O	14.40
3613-25	All-round insulation in the driver cab	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	5.00
3671-25	Carpet in the driver's cab	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	1.80
3680-25	Driver cab dimming system	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	7.00
3884-25	Integra/Contura on SB bedspread	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	O	O	2.00
3885-25	Bedspread on QB/DB	-	O	-	-	-	O	O	-	O	-	-	O	-	-	-	O	-	-	2.00
3886-25	EB bedspread	O	-	O	O	O	-	-	O	-	O	O	-	O	O	O	-	-	-	2.00
6224-25	Additional bed for 2 people (conversion of seating group)	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	11.00
6225-25	Child's bed in the cab	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	9.80
6236-25	Electr. adjust. lift-up bed for 2 people	-	-	-	-	-	-	O	O	O	O	O	O	-	-	-	-	-	-	8.00
6237-25	Manually adjustable lift-up bed	-	-	-	-	-	-	S	S	S	S	S	S	O	O	O	O	-	-	39.00
6354-25	Seat: Fifth seat	-	O	O	O	-	-	O	O	O	O	-	-	-	-	-	-	-	-	13.00
6356-25	4th seat on driver's side	-	-	-	-	-	-	-	-	-	-	-	-	-	-	O	O	-	-	26.00
6430-25	Table with chrome-plated table base	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	S	S	2.00
7812-25	Ambient lighting	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	8.00
SUPERSTRUCTURE OPTION – BIKE CARRIER																				
5143-25	Bicycle carrier for 2 bicycles or 2 E-bikes (up to 60kg)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	O	O	9.40
5146-25	Bike carrier extension kit 4-way	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	2.00
5147-25	Bike carrier for 2 bikes	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	-	-	13.00
5148-25	Lowerable E-bike carrier	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	-	-	16.00

S = Standard feature
O = Optional feature at extra charge
P = Optional package feature
- = Not possible

Low-profile – Special features

		PROFILA T					PROFILA RS					PROFILA T MERCEDES				CONTURA MERCEDES		Weight difference in kg	*RRP price (€) incl. 19% VAT*		
		PT 660 EB	PT 675 SB	PT 695 EB	PT 720 EB	PT 720 EF	PT 720 QF	PRS 675 SB	PRS 695 EB	PRS 695 HB	PRS 720 EB	PRS 720 EF	PRS 720 QF	PT 696 EB	PT 726 EB	PT 726 EF	PT 726 QF			C 766 EB	C 766 EF
SUPERSTRUCTURE OPTION – CANOPIES																					
5243-25	4 m canopy	0	0	0	-	-	-	0	0	0	-	-	-	0	-	-	-	-	-	33.00	1670.00
5244-25	4.5 m canopy	-	-	-	0	0	0	-	-	-	0	0	0	-	0	0	0	-	-	36.00	1910.00
5245-25	5 m canopy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	0	42.00	2090.00
SUPERSTRUCTURE OPTION – HEATING																					
3617-25	Driver cab underfloor heating (heated floor mat/Alde htg.)	-	-	-	0	0	0	-	-	-	0	0	0	0	0	0	0	0	0	4.40	1190.00
7220-25	Warm air heating	S	S	S	-	-	-	S	S	S	-	-	-	-	-	-	-	-	-	0.00	0.00
7227-25	Hot water heating - Alde	-	-	-	S	S	S	-	-	-	S	S	S	S	S	S	S	S	S	15.00	0.00
7228-25	Combi 6 E heating	0	0	0	-	-	-	0	0	0	-	-	-	-	-	-	-	-	-	1.00	790.00
7510-25	Autonomous E-bike charger	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3.00	3730.00
SUPERSTRUCTURE OPTION – KITCHEN																					
7230-25	Extractor hood	0	0	0	0	0	0	0	0	0	0	-	-	0	0	0	0	S	S	3.00	580.00
7238-25	Oven	-	0	-	0	0	0	0	-	0	0	0	0	-	0	0	0	0	0	15.00	1400.00
7255-25	Large refrigerator	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	18.00	1400.00
SUPERSTRUCTURE OPTION – TECHNICAL SERVICES																					
5221-25	Roof-mounted air-conditioning system, 230 V	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	35.00	3290.00
5223-25	Roof-mounted aircon system 230 V (surch. comp. to Mondial)	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-	-	-	35.00	3290.00
7321-25	Lithium battery (1x)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-13.00	3300.00
7324-25	Second Lithium battery	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	17.50	2990.00
7327-25	2nd gel battery - 80 Ah	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	27.00	600.00
7341-25	Pre-cabling for solar power system	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1.50	350.00
7512-25	External gas socket	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1.00	330.00
7516-25	Dual-control CS with de-icer	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	S	S	10.60	570.00
7655-25	Waste water tank, insulated and heated	S	S	S	S	S	S	S	S	S	S	S	S	-	-	-	-	-	-	8.90	990.00
SUPERSTRUCTURE OPTION – FABRICS																					
6111-25	Protective covers in the superstructure – upholstery for the driver and passenger seat	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	4.00	410.00
6113-25	"Milano" upholstery fabric	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00	590.00
6129-25	"Glendale" upholstery	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00	990.00
6132-25	"Dara" upholstery fabric	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00	0.00
6135-25	"Bergamo" upholstery fabric	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	0.00	590.00
6136-25	"Pisa" upholstery fabric	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00	590.00
6137-25	"Leather beige" upholstery fabric	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	0	2.00	2900.00
6138-25	"Leather grey" upholstery fabric	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	0	2.00	2900.00
6153-25	"Como" upholstery fabric	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	0.00	0.00
6192-25	"Maka" décor	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	0.00	0.00
6193-25	"Lasca" décor	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00	0.00
6194-25	"Rana" décor	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00	0.00
6195-25	"Evono" décor	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	0.00	0.00
SUPERSTRUCTURE OPTION – MULTIMEDIA																					
3215-25	Loudspeakers (2) in the superstructure	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	4.00	490.00
3230-25	MBUX with rear-view camera (surcharge compared to moniceiver)	-	-	-	-	-	-	-	-	-	-	-	-	0	0	0	0	-	-	0.00	3990.00
3237-25	Moniceiver with rear-view camera	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1.00	1490.00
3238-25	Naviceiver w. rear-view camera	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1.00	2630.00
3239-25	MBUX	-	-	-	-	-	-	-	-	-	-	-	-	0	0	0	0	0	0	1.00	2750.00

Low-profile – Special features

		PROFILA T						PROFILA RS						PROFILA T MERCEDES				CONTURA MERCEDES		Weight difference in kg	"RRP price (€) incl. 19% VAT"
		PT 660 EB	PT 675 SB	PT 695 EB	PT 720 EB	PT 720 EF	PT 720 QF	PRS 675 SB	PRS 695 EB	PRS 695 HB	PRS 720 EB	PRS 720 EF	PRS 720 QF	PT 696 EB	PT 726 EB	PT 726 EF	PT 726 QF	C 766 EB	C 766 EF		
3241-25	Sound system	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	O	O	5.00	1260.00
3439-25	Flat screen wall bracket in front area	-	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	1.20	750.00
3441-25	Flat screen wall bracket in rear area	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	O	-	1.20	750.00
3460-25	Flat screen pull-out in front area	O	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4.00	750.00
SUPERSTRUCTURE OPTION – FURNITURE DÉCOR																					
6475-25	"Chalet Rustico" furniture décor	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	-	-	0.00	0.00
6480-25	"Navarra" furniture décor	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	S	S	0.00	0.00
6481-25	"Natural Vintage" furniture décor	-	-	-	-	-	-	-	-	-	-	-	-	O	O	O	O	-	-	0.00	0.00
SUPERSTRUCTURE OPTIONS – OTHER																					
9813-25	Reduction of permit by 1 person	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	0.00	0.00
9814-25	Reduction of permit by 2 persons	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	0.00	0.00
9815-25	Reduction of permit by 3 persons	-	O	O	O	-	-	O	O	O	O	-	-	-	-	-	-	-	-	0.00	0.00
MISCELLANEOUS																					
9009	Gas safety certificate, COC document or vehicle paperwork, TÜV approval and pre-carriage (mandatory)	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	0.00	490.00
A801	Transfer costs (mandatory)	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	0.00	1690.00

S = Standard feature
O = Optional feature at extra charge
P = Optional package feature
- = Not possible

Try out and configure

Suitable for every taste.

Which upholstery colour, which interior and which features meet your needs? Take a look around and configure your personal motorhome directly online.



All information at a glance
 Click here for more information on features, upholstery, interiors and more.



Motorhome configurator
 Click here to select one of our models and customise it in line with your personal preferences.



Xtura

Equipment highlights

- Mercedes Sprinter with all-wheel drive
- Superstructure concept for long-distance travel and slopes
- Off-road and long-distance travel equipment
- All-season performance
- Electrical self-sufficiency for up to 30 days (depending on use)
- Body with raised floor clearance and optimised slope angle
- Modern interior offering superb travel comfort
- Torsional stability and resistance to weathering and chemical influences
- Thermal insulation without cold bridges / long-lasting
- AT tyres and Delta wheels (optional)
- Roof rack system for cargo (optional)
- Exterior lighting (optional)
- ALDE heating technology for hot water and hot water underfloor heating
- "VICTRON" power supply system
- All on-board functions are integrated into the GARMIN EmpirBus™ system
- GARMIN Tread Overland (optional)
- Winter-proof according to EN 1646-2
- Wood-free walls with continuous insulation (rot-proof)
- Rear axle with 3cm additional spring
- New furniture architecture in "Chalet Rustico" design (3-year guarantee)
- Bonded and all-round-sealed body composite made of hail-protected glass-fibre reinforced plastic (GRP) featuring Eura Mobil Sealed Structure Technology
- 10-year leak guarantee (up to 150,000 km)
- Water tanks heated and insulated
- Electrically controlled waste water tank drainage
- Noise-insulated window roller blinds (Seitz comfort roller blinds)
- Ambient lighting
- Illuminated entrance area with space for a TV of up to 32"
- Kitchen base unit with double-latched pull-outs
- Worktop illuminated from underneath for illumination of the kitchen pull-outs
- Washroom with swivel wall for integrated shower room
- Single-bed floor plans with adjustable bed frame and pull-out for conversion into a double bed
- USB port for charging mobile devices
- Anchor rail for rear garage
- Seitz frame windows flush with the outer wall
- Body door with window and waste bin
- Mini-Heki skylight over rear bed
- LED exterior lighting over body door
- 230 V power socket in washroom
- Manual air conditioning system in the driver's cab



Gas/induction cooking



Felt pockets



Chassis slope angle

Go your own way!

With the new Xtura, you can discover practically endless possibilities for turning leisure time into mobile freedom. The vehicle's 4x4 drive system ensures reliable acceleration, even in adverse road conditions.

With its optional all-road tyres with an excellent grip, as well as a torsion-resistant superstructure, the Xtura is also able to conquer difficult terrain off the beaten track.

”

Inside the Xtura, you take your own world with you on your journey.



Xtura – Floor plan

XT 686 EF

Total length:	6.88 m
Total width:	2.20 m
Weight class:	4.1 t
Number of seats:	3
Sleeping berths:	2 (4)

- + Single beds in the rear
- + Large rear garage
- + Face-to-face seating group
- + Gas/induction hob
- + Kitchen base unit with double-latched pull-outs
- + Centre washroom with swivel wall for integrated shower room
- + Underfloor heating
- + Bus-controlled on-board systems



Xtura – Technical specifications

XT 686 EF

Basic vehicle

MB Sprinter 419 CDI

Euro VI engine		140 kW (190 HP)
Chassis		Mercedes Sprinter 4x4
Fuel tank	l	65 L diesel + 22 L AdBlue

Dimensions and weights

Load capacity in the rear storage area	l	2700
Size of storage door at the rear	cm	80 x 105
Wheelbase	m	3665
Tyres		225/75 R16C (265/60 R18C)
Technically permissible overall weight ¹⁾	kg	4,100 kg
Weight in ready-to-drive state ²⁾	kg	3,320 (3154 – 3486)
Maximum weights for packages and special equipment ⁴⁾	kg	406
Trailer load, braked*	kg	2000
Total length	m	6.88
Total width	m	2.20
Overall height	m	3.05
Standing height	m	1.98
Dimensions of front side seating group	cm	83 x 60
Bed conversion of the seating group	cm	Not specified
Dimensions of rear bed(s)	cm	196 x 80 / 195 x 80
Dimension of longitudinal bench	cm	40 x 60
Sleeping areas		2 (3) optional
Permitted number of people with 3-point belts ³⁾		3
Framed window with mesh screen		4
Number of service flaps		3
Wall thickness of walls, roof, floor	mm	30 / 30 / 85
Fresh water / waste water tank ⁵⁾	l	145/105
Fresh water tank in the drive position ⁵⁾	l	10
Battery capacity	Ah	330 (lithium)
Refrigerator	l	146

* Note the weight of the vehicle/trailer combination

Xtura – Feature packages

PREMIUM FEATURES INCLUDED IN THE STANDARD FEATURES:

Xperience line

All inclusive for: XTURA

Fuel tank, 92 litre	Smartphone charging cradle
MBUX	Distronic
Electric roof fan	Dashboard storage trays
Midi-Heki	Automatic air conditioning
Mesh screen for the body door	Traffic sign assistant
Pre-cabling for solar power system	

Overland line**

Optional for: XTURA

Tyres
Delta rims + all-terrain tyres
Roof rack with solar panels
Rear ladder
Rear wall support plate

Adventure line***

Optional for: XTURA

Garmin Tread all-terrain satnav
Folding solar module
Driver cab underfloor heating

Optional feature packages

Driving Assistance package*

Optional for: XTURA

Active lane departure assistant
High beam assistant
Fog light
LED headlights

* in conjunction with Xperience line

** in addition to Xperience line

*** in addition to Overland line

¹Technically permissible overall weight (kg) The technically permissible overall weight in a laden state refers to the overall weight defined by the manufacturer that the vehicle may not exceed when in drive mode.

²Weight in ready-to-drive state (kg) The weight in ready-to-drive state refers to the weight of the vehicle (with standard features according to the manufacturer's specifications) with its fuel tank filled to at least 90% of capacity and includes the weight of the driver (which is calculated at a nominal value of 75 kg), the weight of the fuel and fluids, the weight of the superstructure and the driver's cab, and the weight of the towing hitch and the tyre repair kit (to the extent these are present). This represents a calculated value that is subject to legally permissible fluctuations of up to ± 5% (see additional text in brackets). Since these legally permissible fluctuations impact the vehicle's payload and therefore also the weights of the packages and special equipment that can be ordered, the occurrence of such fluctuations must be factored into the configuration process and the choice of packages and special equipment.

³Permitted number of people with 3-point belts The weight of the passengers is calculated at a nominal 75 kg per seat, whereas the weight of the driver, which was already taken into account in the weight in the ready-to-drive state, must be deducted. In the case of a vehicle with four belt-restrained seats, the weight of the passengers is therefore 225 kg (3 x 75 kg).

⁴Maximum weights for packages and special equipment The maximum weights for packages and special equipment represent a value calculated for each floor plan with which we have restricted the weights for the packages and special equipment that can be ordered from the factory. This is intended to ensure that the legally prescribed minimum payload is complied with after the vehicle is shipped from the factory. If the configuration process leads to the upper limit for this defined by the manufacturer being exceeded as a result of the choice of packages and special equipment, you can only continue with the configuration process if you de-select packages, special equipment or belt-restrained seats or choose to increase the vehicle's load capacity. Otherwise, you will not be able to configure or ordering the configured vehicle. Please note that the calculation of the maximum weights for packages and special equipment also takes into account the special equipment features of the selected country variation / the selected special model.

⁵Fresh water tank size (l) Please note that the capacity of the fresh water tank is significantly reduced in the drive position. If the payload of the individual vehicle is sufficient, it can be filled to its full capacity.



Xtura – Standard features

	Xtura MERCEDES		Xtura MERCEDES
CHASSIS			
Mercedes Sprinter, 190 PS	S	Rear storage compartments with anchor rails	S
9-G Tronic automatic transmission MB	S	Single beds with 7-zone cold foam mattresses	S
Sequential all-wheel drive	S	Swan neck lamps with USB ports in the sleeping area	S
ABS	S	Living environment with decorative elements	S
Manual air conditioning	S	Mini Heki skylight over rear bed	S
Frame extension	S	Felt wall pockets	S
Driver / passenger airbag	S	Felt-look window shades	S
Electric window risers, driver's cab central locking system	S	Headboard with shelf	S
Fix & Go breakdown kit	S		
Daytime running lights	S	KITCHEN	
16" wheels	S	Kitchen with ergonomically shaped worktop	S
ASR, EBD and ESP	S	Refrigerator 146 l	S
		Cooker with electric ignition, large work surface, number of gas/induction hobs	2/1
		Pull-outs with self-closing mechanism and soft stop, metal roller runners	S
DRIVER'S CAB		Base unit with double-latched pull-outs	S
GRP hood, insulated, with large storage compartments	S	Divided deep wall units with slide guards	S
Stylish fenders, wide designs	S	Colour-accentuated wall units	S
Protective covers in the superstructure – upholstery for the driver and passenger seat	S	Extra-wide drawer	S
		Spice board	S
SUPERSTRUCTURE		Compressor refrigerator	S
Lightweight construction floor throughout, insulated and heated	S	Water tap with swivel non-drip outlet	S
Aluminium profile without cold bridges for floor-wall joint	S	Worktop with indirect illumination for pull-outs	S
Lightweight construction floor panel with aluminium inlay	S		
Wood-free GRP walls	S	WASHROOM	
PVC floor covering with footstep sound insulation	S	Centre washroom with swivel wall for integrated shower room	S
Roof edge profile made from powder-coated aluminium with joint sealing	S	Storage closet and mirror	S
Mini Heki skylight roof hood over front section	S	Large roller-mounted tank for cassette WC	S
Roof, wall, flooring made from GRP, fully insulated	S	230V power socket	S
Sloping rear wall for optimised slope angle	S	Bench toilet	S
Wall thickness of walls/roof/floor: 30/30/85mm	S	Swivel washbasin	S
Isofix, 1 x in driving direction	S		
Garage floor with chequer plate	S	WATER INSTALLATION	
Electric access step	S	Fresh water system made from Hartflex plastic	S
Alde hot water heating	S	Fixed pipe system for waste water	S
Seitz framed window with mesh screen flush with the external wall	S	145 l insulated and heated fresh water tank	S
Service flaps with double seal, insulated inlay and rotary-knob locks	S	Central service compartment with access to the water drainage taps	S
Single key for entire superstructure	S	105 l waste water tank in insulated and heated floor trough	S
Large LED tail lights in Integra line design	S	Electrically operated waste water tank emptying at the push of a button	S
Additional, lowered side and floor storage compartments (depending on floor plan)	S	Fittings with ceramic cartridges	S
Exterior lighting over the body door	S	Siphons to prevent odours	S
Extra-wide body door with window and waste bin	S	Pressurised water pump	S
Double-moulded GRP sandwich roof	S	2 drainage valves for fresh water system	S
Garage lowering system with insulated well	S	Drain valves insulated and heated	S
LIVING ENVIRONMENT		ELECTRICAL INSTALLATION	
"Chalet Rustico" interior	S	Easily accessible electrical distributor panel in the garage	S
Upholstery design: Trail	S	330 Ah lithium battery	S
Sofa with longitudinal seat on passenger side	S	On-board control panel with separate displays for water, battery and charging voltage	S
Table with 360° turning and sliding fixture, folding	S	LED reading spotlights	S
Two-tone furniture décor	S	Light switch system with household logic system	S
Wall unit doors with solid spring closures	S	Number of 230 V power sockets: 3	S
Entrance area with illuminated handle	S	Number of 12 V power sockets: 1	S
		Number of USB ports: 3	S
		120 A charger	S
		LED ambient lighting	S

Xtura – Special features

PACKAGES – FEATURE PACKAGES			Weight difference in kg
E-2869-25	MB Driving Assistance package for Xtura	O	0,00
CHASSIS OPTION – ENGINE			
2124-25	190 HP Mercedes-Benz engine	S	0.00
CHASSIS OPTION – OTHER OPTIONS			
2132-25	9G-Tronic automatic transmission Mercedes-Benz	S	30.00
2372-25	Fuel tank, 92 litre	O	22.10
EXTERIOR DESIGN - RIMS			
2226-25	Delta rims + BFG	O	40.00
SUPERSTRUCTURE OPTION – EXTERIOR			
2581-25	Superstructure door with central locking	S	1.50
5111-25	Rear comfort supports	O	8.00
5122-25	Trailer coupling	O	35.00
5227-25	Rear ladder	O	6.80
5324-25	Roof rack with solar panels and work light	O	64.30
5412-25	Multi-function socket	O	2.00
5441-25	External shower (cold/warm)	O	1.00
5524-25	"Sun Roof" panoramic roof window, insulated and adjustable	S	7.00
5534-25	Electric roof fan	O	5.50
5536-25	Midi-Heki	O	3.00
5576-25	Mesh screen for the body door	O	5.00
6656-25	Garage door service flap	S	4.00



- S** = Standard feature
O = Optional feature at extra charge
P = Optional package feature
– = Not possible

SUPERSTRUCTURE OPTION – INTERIOR			Weight difference in kg
3613-25	All-round insulation in the driver cab	O	5.00
3671-25	Carpet in the driver's cab	O	1.80
3680-25	Driver cab dimming system	S	7.00
6213-25	Rear mattress removed	O	0.00
6220-25	Additional bed for 1 person (conversion of seating group)	O	6.00
6225-25	Child's bed in the cab	O	9.80
7812-25	Ambient lighting	S	8.00
SUPERSTRUCTURE OPTION – CANOPIES			
5243-25	4 m canopy	O	33.00
SUPERSTRUCTURE OPTION – HEATING			
3617-25	Driver cab underfloor heating (heated floor mat/Alde htg.)	O	4.40
7227-25	Hot water heating - Alde	S	15.00
SUPERSTRUCTURE OPTION – KITCHEN			
7230-25	Extractor hood	O	3.00
7238-25	Oven	O	15.00
7255-25	Large refrigerator	S	18.00
SUPERSTRUCTURE OPTION – TECHNICAL SERVICES			
5221-25	Roof-mounted air-conditioning system, 230 V	O	35.00
7341-25	Pre-cabling for solar power system	O	1.50
7512-25	External gas socket	O	1.00
7516-25	Dual-control CS with de-icer	O	10.60
7655-25	Waste water tank, insulated and heated	S	8.90
SUPERSTRUCTURE OPTION - TEXTILE FEATURES			
6111-25	Protective covers in the superstructure – upholstery for the driver and passenger seat	S	4.00
6130-25	"Trail" upholstery	S	0.00
6131-25	"Trail leather grey" upholstery	O	2.00
6133-25	"Trail leather beige" upholstery	O	2.00
6134-25	"Trail Glendale" upholstery	O	0.00
6195-25	"Evono" décor	O	0.00
SUPERSTRUCTURE OPTION - MULTIMEDIA			
3215-25	Loudspeakers (2) in the superstructure	O	4.00
3232-25	Garmin Tread Overland all-terrain satnav	O	3.20
3239-25	MBUX	O	1.00
3439-25	Flat screen wall bracket in front area	O	1.20
SUPERSTRUCTURE OPTION - FURTHER OPTIONS			
7270-25	Folding solar module	O	9.00
SUPERSTRUCTURE OPTIONS – FURNITURE DÉCOR			
6475-25	"Chalet Rustico" furniture décor	S	0.00
MISCELLANEOUS			
9009	Gas safety certificate, COC document or vehicle paperwork, TÜV approval and pre-carriage (mandatory)		0.00
A801	Transfer costs (mandatory)		0.00



Integra Line

Equipment highlights

- Automotive design
- "Short Cabin" visibility concept with short front section for extra-wide field of vision
- Powerful LED main headlights (optional depending on equipment)
- LED tail lights
- Pilot's seats with arm rests and integrated seatbelts
- Electrically adjustable bus mirrors, heated
- Lift-up bed 193x 150 cm in the driver's cab with 78 cm headroom
- 11cm-high heated double floor with floor storage compartments
- Convenient bed access thanks to wide, lowerable lift-up bed
- Large rear garages thanks to rear lowering with fully insulated underbody trough
- Winter-proof according to EN 1646-2
- Wood-free walls with continuous insulation (rot-proof)
- Robust furniture with aluminium profile reinforcements (3-year guarantee)
- Bonded and all-round-sealed body composite made of hail-protected glass-fibre reinforced plastic (GRP) featuring Eura Mobil Sealed Structure Technology
- 10-year leak guarantee (up to 150,000 km)
- Water tanks heated and insulated in the double floor or in heated trough
- Electrically controlled waste water tank drainage
- Central technology compartment
- ALDE hot water heating
- Dashboard and door trims in carbon look
- Ambient lighting
- 16" wheels
- ESP
- Mini Heki skylight over front section and rear bed
- Reading lights and orientation light in the driver's cab
- Noise-insulated window roller blinds
- Illuminated entrance area with storage facilities
- Kitchen base unit with pull-outs
- Worktop illuminated from underneath for illumination of the kitchen pull-outs
- Sink cover with 2-part chopping board (depending on floor plan)
- Comfort rain shower with back-lit shower column (depending on floor plan)
- Shower grate in the washroom
- Single-bed floor plans with adjustable bed frame and pull-out for conversion into a double bed
- USB ports for charging mobile devices
- Anchor rail for rear garage
- Seitz frame windows flush with the outer wall



Rear garage

There's plenty of room for bulky luggage or bicycles underneath the bed in the lowered rear garage.



Practical box

On the passenger side in the driver's cab is a practical storage box for travel literature, chargers or other small items at hand. Naturally featuring Eura Mobil's typically stylish and stable characteristics in oak chalet finish.

The perfect choice!

The Integra Line represents the ideal combination of lightweight technology, modern design and comfortable features. With its versatile range of layouts in the 7m class, it embodies a tailor-made premium motorhome with an excellent price-performance ratio, especially among the mid-size A-Class models.

”

In the living area, the fantastic spatial effect is inspirational.



▼ Example floor plan: IL 720 EF



The plus points in the interior include: A fantastic feeling of space despite a compact length, bathroom with huge, variable wardrobe, kitchen with hinged cover and retractable tap, swivel driver cab seats with integrated seatbelt and arm rest.

Integra Line – Floor plans



IL 720 EB

Total length:	7.41 m
Total width:	2.32 m
Weight class:	4.4 t
Seats:	4 (5) (optional)
Sleeping berths:	4 (6) (optional)

- + Single beds in the rear
- + Large rear garage
- + Rear bathroom with separate shower
- + Washroom as separate dressing room variably closable on both sides with sliding doors
- + Ergonomically designed corner kitchen with 142-litre refrigerator in individual arrangement
- + Comfortable L-shaped seat bench with single seat on the passenger side



IL 720 EF

Total length:	7.41 m
Total width:	2.32 m
Weight class:	4.4 t
Seats:	4
Sleeping berths:	4 (6) (optional)

- + Comfort seating group with two-person sofas positioned opposite each other
- + Table with folding top, height adjustable
- + Single beds in the rear
- + Large rear garage
- + Rear bathroom with separate shower
- + Washroom as separate dressing room variably closable on both sides with sliding doors
- + Kitchen with retractable tap and foldable worktop extension



IL 720 QF

Total length:	7.57 m
Total width:	2.32 m
Weight class:	4.4 t
Seats:	3 (4) (optional)
Sleeping berths:	4 (6) (optional)

- + Comfort seating group with two-person sofas positioned opposite each other
- + Table with folding top, height adjustable
- + Central queen bed in the rear
- + Bed with sliding slatted frame, adjustable headboard and linen compartment
- + 2 wardrobes
- + Large rear garage thanks to height-adjustable bed
- + Rear bathroom with separate shower
- + Washroom variably closable on both sides with sliding doors



IL 730 EF

Total length:	7.57 m
Total width:	2.32 m
Weight class:	4.4 t
Seats:	3 (4) (optional)
Sleeping berths:	4 (6) (optional)

- + Single beds with low entry height
- + Large storage spaces under the beds
- + Rear washroom across the entire width of the vehicle with separate shower
- + Bedroom and dressing room separated from living room with sliding door
- + Comfort seating group with two-person sofas positioned opposite each other
- + Table with folding top
- + Kitchen with retractable tap and foldable worktop extension

Integra Line – Packages

All-inclusive

PREMIUM FEATURES "MONDIAL" INCLUDED IN THE STANDARD FEATURES:

Electric parking brake	180 HP engine
Traction Plus incl. hill descent control	Chassis - Maxi instead of 3.5 t / 4.4 t (surcharge)
Steering wheel controls	90-litre fuel tank add-on
16" aluminium rims	Automatic air conditioning
Leather steering wheel and gearshift knob	Inductive charging station
Dashboard with chrome-plated air vents	7" digital instrument panel
Moniceiver with rear-view camera	Naviceiver w. rear-view camera
Integra Line comfort seats incl. height adjustment and lumbar support	Carpet in the driver's cab
Manual blackout system	Multi-function exterior socket
Heki skylight roof hood	External shower (cold/warm)
Body door with 2-point locking and central locking system	External gas socket on passenger side
Electric roof fan	Heat-insulating double glazing in the side windows
Pre-cabling for solar power system	Elect. front blind blinds for windscreen
Automatic transmission	Lithium battery

Integra Line – Technical specifications



	IL 720 EB	IL 720 EF	IL 720 QF
Basic vehicle	Fiat Ducato 16" / 4.4 t	Fiat Ducato 16" / 4.4 t	Fiat Ducato 16" / 4.4 t
Engine model, Euro 6d Final	103 kW (140 HP)	103 kW (140 HP)	103 kW (140 HP)
Engine models (optional)	130 kW (180 HP)	130 kW (180 HP)	130 kW (180 HP)
Chassis	Fiat CCS low-slung frame	Fiat CCS low-slung frame	Fiat CCS low-slung frame
Fuel tank	60 Diesel + 19 l Ad Blue	60 Diesel + 19 l Ad Blue	60 Diesel + 19 l Ad Blue
Dimensions and weights			
Double floor height	11	11	11
Load capacity in the rear storage area	3000	3000	1500
Size of storage door at the rear	80 x 115	80 x 115	80 x 115
Wheelbase	4.04	4.04	4.04
Tyres	225/75 R16C	225/75 R16C	225/75 R16C
Technically permissible overall weight ¹⁾	3,500 // 4,250//4,400 (optional)	3,500 // 4,250//4,400 (optional)	3,500 // 4,250//4,400 (optional)
Weight in ready-to-drive state ²⁾	3,154 (2996 – 3311)	3,203 (3042 – 3363)	3,228 (3067 – 3390)
Maximum weights for packages and special equipment ⁴⁾	687	637	694
Trailer load, braked ⁷	2,000 // 1,800 // 1,750 (optional)	2,000 // 1,800 // 1,750 (optional)	2,000 // 1,800 // 1,750 (optional)
Total length	7.41	7.41	7.57
Total width	2.32	2.32	2.32
Overall height	2.88	2.88	2.88
Interior width	2.17	2.17	2.17
Standing height	1.98	1.98	1.98
Height above lift-up bed	78	78	78
Dimensions of front side seating group	115 x 105	100 x 65	100 x 65
Bed conversion of the seating group**	200 x 115	200 x 100	200 x 100
Dimensions of rear bed	2 x 203 x 84	2 x 203 x 83	190 x 147
Dimensions of lift-up bed	193 x 150	193 x 150	193 x 150
Dimensions of longitudinal bench or rear seating group	55 x 65	100 x 65	100 x 65
Sleeping areas	4 (6) optional	4 (6) optional	4 (6) optional
Permitted number of people with 3-point belts ³⁾	4 (5) optional	4	3 (4) optional
Number of Isofix	1	2	2
Framed window with mesh screen	4	4	4
Number of service flaps	2	2	2
Wall thickness of walls, roof, floor	30 / 30 / 38	30 / 30 / 38	30 / 30 / 38
Fresh water / waste water tank ⁵⁾	140/100	138/100	138/100
Fresh water tank in the drive position ⁵⁾	10	10	10
Battery capacity	80 Gel	80 Gel	80 Gel
Refrigerator	142	142	142

Technically permissible overall weight (kg) The technically permissible overall weight in a laden state refers to the overall weight defined by the manufacturer that the vehicle may not exceed when in drive mode.

²⁾Weight in ready-to-drive state (kg) The weight in ready-to-drive state refers to the weight of the vehicle (with standard features according to the manufacturer's specifications) with its fuel tank filled to at least 90% of capacity and includes the weight of the driver (which is calculated at a nominal value of 75 kg), the weight of the fuel and fluids, the weight of the superstructure and the driver's cab, and the weight of the towing hitch and the tyre repair kit (to the extent these are present). This represents a calculated value that is subject to legally permissible fluctuations of up to ± 5% (see additional text in brackets). Since these legally permissible fluctuations impact the vehicle's payload and therefore also the weights of the packages and special equipment that can be ordered, the occurrence of such fluctuations must be factored into the configuration process and the choice of packages and special equipment.

³⁾Permitted number of people with 3-point belts The weight of the passengers is calculated at a nominal 75 kg per seat, whereas the weight of the driver, which was already taken into account in the weight in the ready-to-drive state, must be deducted. In the case of a vehicle with four belt-restrained seats, the weight of the passengers is therefore 225 kg (3 x 75 kg).

Integra Line – Technical specifications



IL 730 EF

Fiat Ducato 16" / 4.4 t

103 kW (140 HP)

130 kW (180 HP)

Fiat CCS low-slung frame

60 Diesel + 19 l Ad Blue

11

1700

85 x 55

4.04

225/75 R16C

3,500 // 4,250//4,400 (optional)

3,204 (3043 – 3364)

719

2,000 // 1,800 // 1,750 (optional)

7.57

2.32

2.88

2.17

1.98

78

100 x 65

200 x 100

200 x 75, 197 x 75

193 x 150

100 x 65

4 (6) optional

3 (4) optional

2

4

2

30 / 30 / 38

138/100

10

80 Gel

142



[Find a Eura Mobil
dealer near you here!](#)



More information

Click here for more information on floor plans, upholstery, interiors and more.



* Note the weight of the vehicle/trailer combination

** Not in combination with 6430 table with chrome-plated table base

*** Numbers in brackets only in combination with 2324* superimposed load to 3.65t* or 2311/2313 Maxi chassis

⁴Maximum weights for packages and special equipment The maximum weights for packages and special equipment represent a value calculated for each floor plan with which we have restricted the weights for the packages and special equipment that can be ordered from the factory. This is intended to ensure that the legally prescribed minimum payload is complied with after the vehicle is shipped from the factory. If the configuration process leads to the upper limit for this defined by the manufacturer being exceeded as a result of the choice of packages and special equipment, you can only continue with the configuration process if you de-select packages, special equipment or belt-restrained seats or choose to increase the vehicle's load capacity. Otherwise, you will not be able to configure or ordering the configured vehicle. Please note that the calculation of the maximum weights for packages and special equipment also takes into account the special equipment features of the selected country variation / the selected special model.

⁵Freshwater tank size (l) Please note that the capacity of the fresh water tank is significantly reduced in the drive position. If the payload of the individual vehicle is sufficient, it can be filled to its full capacity.



Integra

Equipment highlights

- Full LED headlights
- LED direction-indicating dynamic turn signals (rear)
- Single-piece fully moulded rear
- LED tail lights
- Automotive design with RIM components and galvanic chrome-plated elements
- Professional kitchen, with 9 drawers, ergonomically shaped with full features
- Spacious bathroom with rain shower and spa atmosphere
- Shower wall with slate look, wall heating and illuminated reed grass inlay
- Luxury bedroom with illuminated ceiling and chrome appliques
- Living area features exclusive lounge ambience
- Electrically controlled front blind
- Electrically controlled lift-up bed
- 19.5-cm high heated double floor
- Storage space expansion through floor compartments and lowered side storage compartments (depending on floor plan)
- AL-KO low-frame chassis with up to 5.5 t permissible total weight
- ALDE hot water heating
- Lounge sofa with back cushions, bolster and seat box cover
- 153-litre refrigerator with 29-litre freezer compartment
- Kitchen surface made of mineral material with two-part chopping board as sink cover
- Electric lift for coffee maker in lowerable glass display case
- Fresh and waste water tank frost-protected in heated double floor
- Drainage valves, insulated and heated in the central service compartment
- Electrically controlled waste water tank drainage
- Large rear garages thanks to rear lowering with fully insulated underbody trough
- Winter-proof according to EN 1646-2
- Wood-free walls with continuous insulation (rot-proof)
- Robust furniture with aluminium profile reinforcements (3-year guarantee)
- Bonded and all-round-sealed body composite made of hail-protected glass-fibre reinforced plastic (GRP) featuring Eura Mobil Sealed Structure Technology
- 10-year leak guarantee (up to 150,000 km)
- Body door with window and waste bin
- Mini-Heki skylight over rear bed
- Dashboard and door trims in carbon look
- Electrically adjustable bus mirrors, heated
- Ambient lighting



A shining example

LED headlights make a thrilling impression by creating a daylight-like atmosphere as they illuminate the road ahead. The static cornering lights provide support here in turns and curves.



Cargo capacity in line with your needs

The Integra 760 is available in an AL-KO two-axle or three-axle version. Those who are looking for easier handling should go with the two-axle configuration – but if you need to transport a lot of cargo, you should opt for the three-axle version.



Nice and easy

All you need to do is push a button to lower the electrically controlled lift-up bed (which can be reached easily via the seats) to a comfortable entry height.

A statement for more beautiful living.

The Integra is the luxury A-Class model with modern comfort and safety features that meet the highest demands with regard to interior ambience and functionality. Long-term travellers and globetrotters in particular will find the Integra, with its excellent year-round features, the perfect mobile home.



On the road with the Integra ... you certainly lead the way.



▼ Example floor plan: I 760 QF



The plus points in the interior include: Thrilling spaciousness and additional storage space with optional storage cabinets (instead of lift-up bed), lounge seating group with TV pull-out on the passenger side, pilot's seat with lumbar support, large table with divided top for easy passage through the room (I 760 EF/QF).

Integra – Floor plans



I760 EF

Total length:	7.89 m
Total width:	2.32 m
Weight class:	4.5 / 5.5 t
Number of seats:	4
Sleeping berths:	4

- + Comfort seating group with two-person sofas positioned opposite each other
- + Table with folding top, height adjustable
- + Single beds in the rear with slatted frame and pull-out for conversion to a double bed
- + Large rear garage with anchor rail
- + Rear bathroom with separate shower
- + Wardrobe pull-out
- + Washroom as separate dressing room variably closable on both sides with doors
- + Ergonomically designed corner kitchen with 177-litre refrigerator in individual arrangement
- + Kitchen with retractable water tap and foldable worktop extension
- + Glass showcase in the entrance area
- + TV pull-out behind the seat bench



I760 QF

Total length:	7.89 m
Total width:	2.32 m
Weight class:	4.5 / 5.5 t
Number of seats:	4
Sleeping berths:	4

- + Comfort seating group with two-person sofas positioned opposite each other
- + Table with folding top, height adjustable
- + Centrally positioned queen bed in the rear with linen compartment
- + Sliding bed slatted frame with adjustable headboard
- + Two wardrobes
- + Large rear garage thanks to bed height adjustment
- + Rear bathroom with separate shower
- + Washroom as separate dressing room variably closable on both sides with doors
- + Kitchen with retractable tap and foldable worktop extension
- + Glass showcase in the entrance area
- + TV pull-out behind the seat bench



I890 EB

Total length:	8.99 m
Total width:	2.32 m
Weight class:	5.5 t
Seats:	4 (5) (optional)
Sleeping berths:	4 (6) (optional)

- + AL-KO 3-axle chassis
- + Spacious lounge seating group for up to 7 people
- + Single beds in the rear with slatted frame and pull-out for conversion to a double bed
- + Large rear garage with anchor rail
- + Rear bathroom with separate shower
- + Tall pull-out unit
- + Wardrobe pull-out
- + Washroom as separate dressing room variably closable on both sides with doors
- + Ergonomically designed professional kitchen with 153-litre refrigerator in individual arrangement
- + Comfortable L-shaped seat bench with sofa on the passenger side
- + Glass showcase in the entrance area
- + TV pull-out behind the seat bench



I890 QB

Total length:	8.99 m
Total width:	2.32 m
Weight class:	5.5 t
Seats:	4 (5) (optional)
Sleeping berths:	4 (6) (optional)

- + AL-KO 3-axle chassis
- + Spacious lounge seating group for up to 7 people
- + Centrally positioned queen bed in the rear with linen compartment
- + Sliding bed slatted frame with adjustable headboard
- + Two wardrobes
- + Large rear garage thanks to bed height adjustment
- + Rear bathroom with separate shower
- + Tall pull-out unit
- + Washroom as separate dressing room variably closable on both sides with doors
- + Comfortable L-shaped seat bench with sofa on the passenger side
- + Glass showcase in the entrance area
- + TV pull-out behind the seat bench

Integra – Packages

All-inclusive

PREMIUM FEATURES "LUMINARY" INCLUDED IN THE STANDARD FEATURES:

Steering wheel controls

16" aluminium rims

Leather steering wheel and gearshift knob

Automatic air conditioning

Inductive charging station

7" digital instrument panel

Driver's cab comfort seats (Integra)

Naviceiver w. rear-view camera

Pre-cabing for solar power system

Carpet in the driver's cab

Carbon exterior design

Chrome elements at the front & rear

LED cornering lights

LED fog light

TV pull-out in the front

TV wall bracket in the rear

Organisation system for the rear garage

Sound system

Multi-function exterior socket

External shower (cold/warm)

External gas socket on passenger side

Heat-insulating double glazing in the side windows

Lithium battery

6 m mechanical canopy

Heatable windscreen

Underfloor camera for electrical tank emptying




More information

Click here for more information on floor plans, upholstery, interiors and more.



Integra – Technical specifications



		I 760 EF	I 760 QF	I 890 EB	I 890 QB
Basic vehicle		Fiat Ducato Maxi	Fiat Ducato Maxi	Fiat Ducato Maxi	Fiat Ducato Maxi
Euro 6 heavy-duty engine		130 kW (180 HP)	130 kW (180 HP)	130 kW (180 HP)	130 kW (180 HP)
Chassis		AL-KO low-frame chassis, 2-axle / 3-axle (optional)	AL-KO low-frame chassis, 2-axle / 3-axle (optional)	AL-KO low-frame chassis, 2-axle / 3-axle (optional)	AL-KO low-frame chassis, 2-axis / 3-axis (optional)
Fuel tank	l	90 Diesel + 19 l Ad Blue	90 Diesel + 19 l Ad Blue	90 Diesel + 19 l Ad Blue	90 Diesel + 19 l Ad Blue
Dimensions and weights					
Double floor height	cm	19.5	19.5	19.5	19.5
Load capacity in the rear storage area	l	3000	1700	3000	1700
Size of storage door at the rear	cm	2 x 115 x 85	2 x 105 x 80	2 x 85 x 115	2 x 85 x 105
Wheelbase	m	4.45 // 4.04 + 0.8 (optional)	4.45 // 4.04 + 0.8 (optional)	4.5 + 0.8	4.5 + 0.8
Tyres		225/75 R16C	225/75 R16C	225/75 R16C	225/75 R16C
Technically permissible overall weight ¹⁾	kg	4,500 / 5,500 (optional)***	4,500 / 5,500 (optional)***	5500	5500
Weight in ready-to-drive state ²⁾	kg	3,584 (3405 – 3763)***	3,606 (3426 – 3787)***	4,023 (3821 – 4224)	4,043 (3841 – 4245)
Maximum weights for packages and special equipment ⁴⁾	kg	427	404	964	943
Trailer load, braked ⁷⁾	kg	1,890 / 1,600	1,890 / 1,600	1600	1600
Total length	m	7.89	7.89	8.99	8.99
Total width	m	2.32	2.32	2.32	2.32
Overall height	m	2.92	2.92	2.92	2.92
Standing height	m	1.98	1.98	1.98	1.98
Height above lift-up bed	cm	78	78	78	78
Dimensions of front side seating group	cm	115 x 65	115 x 65	160 x 105	160 x 105
Bed conversion of the seating group**	cm	190 x 100	190 x 100	130 x 200	130 x 200
Dimensions of rear bed(s)	cm	195 x 80 / 200 x 80	195 x 150	195 x 80 / 200 x 80	195 x 150
Dimensions of lift-up bed	cm	150 x 193	150 x 193	150 x 193	150 x 193
Dimensions of longitudinal bench or rear seating group	cm	100 x 60	100 x 60	135 x 65	135 x 65
Sleeping areas		4 (6) optional	4 (6) optional	4 (6) optional	4 (6) optional
Permitted number of people with 3-point belts ³⁾		4	4	4 (5) optional	4 (5) optional
Framed window with mesh screen		4	4	4	4
Number of service flaps		4	4	4	4
Wall thickness of walls, roof, floor	mm	30 / 30 / 38	30 / 30 / 38	30 / 30 / 38	30 / 30 / 38
Fresh water / waste water tank ⁵⁾	l	140/100	140/100	140/100	140/100
Fresh water tank in the drive position ⁵⁾	l	10	10	10	10
Battery capacity	Ah	80 Gel	80 Gel	80 Gel	80 Gel
Refrigerator	l	177	177	153	153

* Note the weight of the vehicle/trailer combination

** Not in combination with 6430 table with chrome-plated table base

***2-axle

Technically permissible overall weight (kg) The technically permissible overall weight in a laden state refers to the overall weight defined by the manufacturer that the vehicle may not exceed when in drive mode.

²⁾Weight in ready-to-drive state (kg) The weight in ready-to-drive state refers to the weight of the vehicle (with standard features according to the manufacturer's specifications) with its fuel tank filled to at least 90% of capacity and includes the weight of the driver (which is calculated at a nominal value of 75 kg), the weight of the fuel and fluids, the weight of the superstructure and the driver's cab, and the weight of the towing hitch and the tyre repair kit (to the extent these are present). This represents a calculated value that is subject to legally permissible fluctuations of up to ± 5% (see additional text in brackets). Since these legally permissible fluctuations impact the vehicle's payload and therefore also the weights of the packages and special equipment that can be ordered, the occurrence of such fluctuations must be factored into the configuration process and the choice of packages and special equipment.

³⁾Permitted number of people with 3-point belts The weight of the passengers is calculated at a nominal 75 kg per seat, whereas the weight of the driver, which was already taken into account in the weight in the ready-to-drive state, must be deducted. In the case of a vehicle with four belt-restrained seats, the weight of the passengers is therefore 225 kg (3 x 75 kg).

A-Class – Standard features

S = Standard **P** = Package contents
O = Optional **-** = Not possible

	Integra Line	Integra
CHASSIS		
140 HP, Euro 6d final	S	-
180 HP engine, Euro VI	O	S
CCS wide track low-slung frame (1,980 mm gauge) with frame extension	S	-
AL-KO low-slung frame chassis	-	S
ABS	S	S
Driver / passenger airbag	S	S
Manual air conditioning	S	S
ESP including Traction+ and hill descent control	S	S
Cruise control	S	S
16" wheels	S	S
Fix & Go breakdown kit	S	S
Daytime running lights	S	-
LED daytime running lights	P	S
LED headlights	P	S
LED dipped beam	P	S
LED tail lights	S	S
LED direction-indicating dynamic turn signals (rear)	-	S
DRIVER'S CAB		
Protective covers in the superstructure – upholstery for the driver and passenger seat	S	S
Front mask made from moulded GRP piece	S	S
Exclusive lamp unit with integrated turn signal	S	S
Panoramic windscreen (for wide field of vision)	S	S
Eura Mobil "Short Cabin"	S	S
Short front section with integrated original Fiat crash protection	S	S
Short dashboard with wide viewing angle to the front	S	S
Wide-opening, narrow bonnet with direct access to windscreen wash and oil top-up nozzles	S	S
Electrically adjustable bus mirrors, heated	S	S
Dashboard and door trims in carbon look	-	S
Lift-up bed with 78 cm seat height	S	S
Electrically controlled lift-up bed	O	S
Storage closets under the lift-up bed	S	S
Ambient lighting below the lift-up bed	S	S
Mini Heki skylight over lift-up bed	S	S
Driver's door with large storage compartments	S	S
Electric control panel within easy reach in the covered compartment on the passenger side	S	-
Electric window raiser for the driver's door	S	S
Extensive noise insulation	S	S
Driver's cab with automotive design	S	S
GRP front mask with headlight housings in RIM technology	S	S
Navigation lights behind windscreen	-	S
Lowered radiator bridge for easy access to the engine compartment	S	S
Bonnet with gas spring assistance	S	S

	Integra Line	Integra
Diffuser elements in black gel coat integrated into single-piece front mask	-	S
Moulded parts under the lift-up bed for smooth optical transition to the living area	-	S
Pilot's seats with arm rests and integrated seatbelts	S	S
Driver's cab door with double locking and central remote locking	S	S
Sliding windows for passenger side	S	S
Concertina darkening system for driver's cab	O	S
Electrically controlled front blinds	O	S
Sun visors with steplessly adjustable roller blinds, integrated into the headlining	-	S
Card compartment with handy flap cover on the passenger side	S	S
Reading lights and orientation light in the driver's cab	S	S
SUPERSTRUCTURE		
Lightweight construction double floor insulated and heated throughout	S	S
Aluminium profile without cold bridges for floor-wall joint	S	S
Lightweight construction floor panel with aluminium inlay	S	S
Insulated wheel arches	S	S
Wood-free GRP walls	S	S
Double floor GRP-coated	S	S
Roof, wall, flooring made from GRP, fully insulated	S	S
Wall thickness of walls/roof/floor: 30/30/38mm	S	S
Isobox, 2 x in driving direction	S (EF + QF models)	-
Isobox, 1 x in driving direction	S (except EF/QF models)	S
Roof edge profile made from powder-coated aluminium with joint sealing	S	S
Sturdy chassis side skirts made from aluminium	S	S
Electrically actuated step	-	S
Integrated double access step, insulated	S	-
Alde hot water heating	S	S
Duo control with remote display, de-icer and crash sensor	O	S
Service flaps with double seal, insulated inlay and self-closing locks	S	S
Extra-wide body door with window and waste bin	S	S
Wall units with aluminium profile reinforcement	S	S
Warm air circulation in the double floor with underfloor heating effect	S	S
Exterior lighting over body door	S	S
Fresh and waste water tank in heated and insulated floor trough	S	-
Fresh and waste water tank in heated double floor	-	S
GRP rear wall with three-dimensional curving	S	S
Diffuser elements in black gel coat integrated into single-piece rear section	S	S
Additional, lowered side and floor storage compartments (depending on floor plan)	S	S

⁴ **Maximum weights for packages and special equipment** The maximum weights for packages and special equipment represent a value calculated for each floor plan with which we have restricted the weights for the packages and special equipment that can be ordered from the factory. This is intended to ensure that the legally prescribed minimum payload is complied with after the vehicle is shipped from the factory. If the configuration process leads to the upper limit for this defined by the manufacturer being exceeded as a result of the choice of packages and special equipment, you can only continue with the configuration process if you de-select packages, special equipment or belt-restrained seats or choose to increase the vehicle's load capacity. Otherwise, you will not be able to configure or ordering the configured vehicle. Please note that the calculation of the maximum weights for packages and special equipment also takes into account the special equipment features of the selected country variation / the selected special model.

⁵ **Freshwater tank size (l)** Please note that the capacity of the fresh water tank is significantly reduced in the drive position. If the payload of the individual vehicle is sufficient, it can be filled to its full capacity.

A-Class – Standard features

S = Standard **P** = Package contents
O = Optional **-** = Not possible

	Integra Line	Integra
Extra-wide body door with window and waste bin	S	S
Lightweight upper floor	S	S
Double-moulded GRP sandwich roof	S	S
Garage lowering system with insulated well	S	S
Diffuser elements in black gel coat integrated into single-piece rear section	-	S
Central service compartment with access to the water drainage taps	-	S
Additional, lowered side and floor storage compartments (depending on floor plan)	-	S
Garage doors on the driver and passenger side	S	S
Rear storage spaces with anchor bars, straps and storage boxes	-	S
Anti-slip surface on garage floor	S	S
Mesh screen for the body door	P	S
Heki skylight roof hood over seating group	P	S
Mini Heki skylight over rear bed	S	S
Mini Heki skylight over front section	S	S
Insulated Seitz framed window with mesh screen flush with the external wall	S	S
Window roller blinds with noise insulation	S	S
Carpeted floor in the superstructure	O	S
Garage lowering system with insulated well	S	S

LIVING AREA

"Chalet Rustico" interior	S	-
Navarra interior	-	S
Upholstered fabric: Como or Dara	S	S
Table with 360° turning and sliding fixture	S	-
Double-pedestal table (on I 890 EB and I 890 QB) with chrome-plated table legs and marble-look tabletop	-	S
Living area with decorative elements (and wall pockets)	S	S
7-zone cold foam mattresses	S	S
Stable slatted frames, with underneath ventilation	S	S
Wall unit doors with solid spring closures	-	S
Noise insulation for wall unit doors	S	S
Ambient lighting	S	S
Central control panel unit behind cover plate above entrance door	-	S
Wall units with high-gloss coating and chrome appliqué	-	S
Wall units with storage compartments, indirect illumination and rear ventilation	-	S
Wall unit profile made from aluminium with integrated stop attenuation for furniture doors	S	S
Entrance area with illuminated handle and handy storage compartments	-	S
Wine cabinet with glass and wine bottle holders	-	S
Shoe compartment in the entrance area	-	S
Compartment shelves in the upper floor with access from the interior	S	S
Lounge sofa with back cushions and seat box cover	-	S
High-quality multi-zone upholstery for living room seats	-	S
High-quality headrests and neck padding on the seats with belts	-	S
Bed headboard with chrome appliqué and ambient lighting	-	S
Rear bed in all QB models, height-adjustable	P	S

KITCHEN

138 l to 153 l refrigerator (depending on floor plan)	S	-
153/177 l refrigerator with 29/35 l freezer compartment	-	S
Hob with electric ignition, glass cover and large work surface, number of cookers 2	S	-
Worktop-mounted 3-burner hob with two-part glass cover	-	S (1890 EB/QB)
Drawers with metal roller runners	S	S
Extra-wide drawers with self-closing mechanism and soft-stop	S	-

	Integra Line	Integra
7 pull-outs with self-closing mechanism and soft stop	-	S
Water tap with swivel non-drip outlet	S	-
Chrome-plated tap with spring arm	-	S
Ergonomically shaped kitchen block	-	S
Worktop with indirect illumination for pull-outs	-	S
Oven	O	S
Extractor hood	O	S
Stainless steel sink with two-part chopping board as sink cover	-	S
Illuminated storage compartments with slate look	-	S
Electric lift for coffee maker in lowerable glass display case	-	S
Pull-out cloakroom at the transition to the washroom (depending on floor plan)	-	S
Door with reed grass inlay	-	S

WASHROOM

Separate shower on the IL 720 QF, IL 730 EF and IL 720 EB models	S	-
Storage closet and mirror	S	-
Cassette toilet with large roller-mounted tank	S	S
230 V power sockets	S	S
Bathroom with separate shower cubicle on IL 720 EF, QF, I 760 EF, I 760 QF, I 890 EB and I 890 QB	S	S
Comfort rain shower with back-lit shower column (depending on floor plan)	S	S
Shower wall with slate look, wall heating and illuminated reed grass inlay	-	S
Toilet room with mirrored cabinet and base unit	S	S
Window in toilet room (layout-dependent)	O	S
Washbasin made from mineral material	-	S
Door to sleeping area on IL 720, 730, Integra	S	S

WATER INSTALLATION

Fresh water system made from Hartflex plastic	S	S
Fixed pipe system for service water / waste water	S	S
140 l insulated and heated fresh water tank in the double floor *	S	-
150 l insulated and heated fresh water tank in the double floor *	S	-
2 drainage valves for fresh water system	S	-
Drainage valves insulated and heated in the central service compartment	-	S
100 l waste water tank in insulated and heated floor trough	S	-
100 l insulated and heated waste water tank in the double floor	-	S
Electrically operated waste water tank emptying at the push of a button	S	S
Fittings with ceramic cartridges	S	S
Siphons to prevent odours	S	S

ELECTRICAL INSTALLATION

Electrical distributor panel easily accessible in the cover on the passenger seat	S	-
80 Ah gel battery	S	S
On-board control panel with separate displays for water, battery and charging voltage	S	S
LED reading spotlights with real glass	S	S
Light switch system with household logic system	S	S
LED ceiling light	S	-
Number of 230 V power sockets: 3	S	S
Number of 12 V power sockets: 1	S	S
21 A charger	S	S
LED ambient lighting, dimmable and programmable	-	S
LED function lights in the centre of the ceiling and in the lateral ceiling struts	-	S
USB charging ports in the living room and bedroom	S	S
TV preparation	S	S

A-Class – Special features

		INTEGRA LINE				INTEGRA				Weight difference in kg
		IL 720 EB	IL 720 EF	IL 720 QF	IL 730 EF	I 760 EF	I 760 QF	I 890 EB	I 890 QB	
S = Standard feature										
O = Optional feature at extra charge										
P = Optional package feature										
- = Not possible										
CHASSIS OPTION – ENGINE										
2112-25	180 HP Fiat engine (surcharge compared to 140 HP)	O	O	O	O	-	-	-	-	0.00
2116-25	180 HP Fiat engine	-	-	-	-	S	S	S	S	20.00
2160-25	140 HP Fiat engine	S	S	S	S	-	-	-	-	0.00
CHASSIS OPTION – SUPERIMPOSED LOAD										
2324-25	Increase of tot. mass to 3.65t	O	O	O	O	-	-	-	-	0.00
2330-25	Red of tot. mass to 3.5 t	O	O	O	O	-	-	-	-	0.00
2358-25	Reinforced front axle springs	O	O	O	O	S	S	S	S	0.00
CHASSIS OPTION – OTHER OPTIONS										
2133-25	Fiat automatic transmission (140 HP & Light chassis)	O	O	O	O	-	-	-	-	55.00
2134-25	Fiat automatic transmission (180 HP & Light chassis)	O	O	O	O	-	-	-	-	35.00
2136-25	Fiat automatic transmission (180 HP & Maxi chassis)	O	O	O	O	O	O	O	O	-5.00
2311-25	Maxi chassis 4.25t	O	O	O	O	-	-	-	-	40.00
2313-25	Maxi chassis 4.4t	O	O	O	O	-	-	-	-	40.00
2361-25	3-axle instead of 2-axle	-	-	-	-	O	O	-	-	150.00
2371-25	Fuel tank, 90 litre	O	O	O	O	S	S	S	S	25.00
2590-25	Heated windscreen	-	-	-	-	O	O	O	O	1.00
EXTERIOR DESIGN – PAINTWORK										
5451-25	Carbon external décor	-	-	-	-	S	S	S	S	2.00
SUPERSTRUCTURE OPTION – EXTERIOR										
2581-25	Superstructure door with central locking	O	O	O	O	S	S	S	S	1.50
2830-25	Exclusive design package	O	O	O	O	S	S	S	S	1.00
5111-25	Rear comfort supports	O	O	O	O	O	O	O	O	8.00
5112-25	ALKO support system	-	-	-	-	O	O	O	O	72.00
5122-25	Trailer coupling	O	O	O	O	O	O	O	O	35.00
5412-25	Multi-function socket	O	O	O	O	O	O	O	O	2.00
5423-25	Underfloor camera for electrical tank emptying	-	-	-	-	O	O	O	O	1.00
5441-25	External shower (cold/warm)	O	O	O	O	O	O	O	O	1.00
5512-25	Window in toilet room	S	S	S	-	S	S	S	S	4.00
5534-25	Electric roof fan	O	O	O	O	S	S	S	S	5.50
5535-25	Tilting roof hood (Heki)	O	O	O	O	S	S	S	S	23.00
5576-25	Mesh screen for the body door	O	O	O	O	S	S	S	S	5.00

A-Class – Special features

		INTEGRA LINE				INTEGRA				Weight difference in kg
		IL 720 EB	IL 720 EF	IL 720 QF	IL 730 EF	I760 EF	I760 QF	I890 EB	I890 QB	
SUPERSTRUCTURE OPTION – INTERIOR										
3541-25	Comfort seats	0	0	0	0	0	0	0	0	14.40
3611-25	Driver cab floor insul. mat	0	0	0	0	0	0	0	0	1.60
3616-25	Insulating double glazing	0	0	0	0	0	0	0	0	12.40
3671-25	Carpet in the driver's cab	0	0	0	0	0	0	0	0	1.80
3680-25	Driver cab dimming system	0	0	0	0	-	-	-	-	7.00
3883-25	Integra/Contura on QB, DB bedspread	-	-	-	-	-	0	-	0	2.00
3884-25	Integra/Contura on SB bedspread	-	-	-	-	0	-	0	-	2.00
3885-25	Bedspread on QB/DB	-	-	0	-	-	-	-	-	2.00
3886-25	EB bedspread	0	0	-	0	-	-	-	-	2.00
6224-25	Additional bed for 2 people (conversion of seating group)	0	0	0	0	0	0	0	0	11.00
6236-25	Electr. adjust. lift-up bed for 2 people	0	0	0	0	S	S	S	S	8.00
6237-25	Manually adjustable lift-up bed	S	S	S	S	-	-	-	-	39.00
6354-25	Seat: Fifth seat	0	-	-	-	-	-	0	0	13.00
6430-25	Table with chrome-plated table base	-	-	-	-	S	S	S	S	2.00
6431-25	Storage cabinets instead of lift-up bed	0	0	0	0	0	0	0	0	-8.00
6657-25	Organisation system for the rear garage	-	-	-	-	0	0	0	0	4.80
7812-25	Ambient lighting	S	S	S	S	S	S	S	S	8.00
SUPERSTRUCTURE OPTION – BIKE CARRIER										
5143-25	Bicycle carrier for 2 bicycles or 2 E-bikes (up to 60kg)	-	-	-	-	0	0	0	0	9.40
5146-25	Bike carrier extension kit 4-way	0	0	0	0	0	0	0	0	2.00
5147-25	Bike carrier for 2 bikes	0	0	0	0	-	-	-	-	13.00
5148-25	Lowerable E-bike carrier	0	0	0	-	-	-	-	-	16.00
SUPERSTRUCTURE OPTION – CANOPIES										
5245-25	5 m canopy	0	0	0	0	-	-	-	-	42.00
5246-25	5.5 m canopy	-	-	-	-	0	0	-	-	62.70
5250-25	6 m canopy	-	-	-	-	-	-	0	0	66.70
SUPERSTRUCTURE OPTION – HEATING										
3617-25	Driver cab underfloor heating (heated floor mat/Alde htg.)	0	0	0	0	0	0	0	0	4.40
7227-25	Hot water heating - Alde	S	S	S	S	S	S	S	S	15.00
7510-25	Autonomous E-bike charger	0	0	0	0	0	0	0	0	3.00
SUPERSTRUCTURE OPTION – KITCHEN										
7230-25	Extractor hood	0	0	0	0	S	S	S	S	3.00
7238-25	Oven	0	0	0	0	S	S	S	S	15.00
7255-25	Large refrigerator	S	S	S	S	S	S	S	S	18.00
SUPERSTRUCTURE OPTION – TECHNICAL SERVICES										
5221-25	Roof-mounted air-conditioning system, 230 V	0	0	0	0	0	0	0	0	35.00
5223-25	Roof-mounted aircon system 230 V (surch. comp. to Mondial)	0	0	0	0	-	-	-	-	35.00
7321-25	Lithium battery (1x)	0	0	0	0	0	0	0	0	-13.00
7324-25	Second Lithium battery	0	0	0	0	0	0	0	0	17.50

A-Class – Special features

		INTEGRA LINE				INTEGRA				Weight difference in kg
		IL 720 EB	IL 720 EF	IL 720 QF	IL 730 EF	I 760 EF	I 760 QF	I 890 EB	I 890 QB	
7327-25	2nd gel battery - 80 Ah	O	O	O	O	O	O	O	O	27.00
7341-25	Pre-cabling for solar power system	O	O	O	O	O	O	O	O	1.50
7512-25	External gas socket	O	O	O	O	O	O	O	O	1.00
7516-25	Dual-control CS with de-icer	O	O	O	O	S	S	S	S	10.60
7655-25	Waste water tank, insulated and heated	S	S	S	S	-	-	-	-	8.90
SUPERSTRUCTURE OPTION – FABRICS										
6111-25	Protective covers in the superstructure – upholstery for the driver and passenger seat	S	S	S	S	S	S	S	S	4.00
6113-25	"Milano" upholstery fabric	O	O	O	O	O	O	O	O	0.00
6129-25	"Glendale" upholstery	O	O	O	O	-	-	-	-	0.00
6132-25	"Dara" upholstery fabric	O	O	O	O	O	O	O	O	0.00
6135-25	"Bergamo" upholstery fabric	O	O	O	O	-	-	-	-	0.00
6136-25	"Pisa" upholstery fabric	O	O	O	O	O	O	O	O	0.00
6137-25	"Leather beige" upholstery fabric	O	O	O	O	O	O	O	O	2.00
6138-25	"Leather grey" upholstery fabric	O	O	O	O	O	O	O	O	2.00
6153-25	"Como" upholstery fabric	S	S	S	S	S	S	S	S	0.00
6192-25	"Maka" décor	S	S	S	S	S	S	S	S	0.00
6193-25	"Lasca" décor	O	O	O	O	O	O	O	O	0.00
6194-25	"Rana" décor	O	O	O	O	O	O	O	O	0.00
6195-25	"Evono" décor	O	O	O	O	-	-	-	-	0.00
SUPERSTRUCTURE OPTION – MULTIMEDIA										
3215-25	Loudspeakers (2) in the superstructure	O	O	O	O	-	-	-	-	4.00
3237-25	Moniceiver with rear-view camera	O	O	O	O	O	O	O	O	1.00
3238-25	Naviceiver w. rear-view camera	O	O	O	O	O	O	O	O	1.00
3241-25	Sound system	-	-	-	-	O	O	O	O	5.00
3439-25	Flat screen wall bracket in front area	O	O	O	O	O	O	-	-	1.20
3441-25	Flat screen wall bracket in rear area	-	-	-	O	O	O	O	O	1.20
3460-25	Flat screen pull-out in front area	-	-	-	-	-	-	O	O	4.00
SUPERSTRUCTURE OPTION – OTHER OPTIONS										
3681-25	Elect. front blind	O	O	O	O	S	S	S	S	6.70
SUPERSTRUCTURE OPTION – FURNITURE DÉCOR										
6475-25	"Chalet Rustico" furniture décor	S	S	S	S	-	-	-	-	0.00
6480-25	"Navarra" furniture décor	-	-	-	-	S	S	S	S	0.00
SUPERSTRUCTURE OPTIONS – OTHER										
9813-25	Reduction of permit by 1 person	O	O	O	O	O	O	O	O	0.00
9814-25	Reduction of permit by 2 persons	O	O	O	O	O	O	O	O	0.00
9815-25	Reduction of permit by 3 persons	O	-	-	-	-	-	O	O	0.00
MISCELLANEOUS										
9009	Gas safety certificate, COC document or vehicle paperwork, TÜV approval and pre-carriage (mandatory)	O	O	O	O	O	O	O	O	0.00
A801	Transfer costs (mandatory)	O	O	O	O	O	O	O	O	0.00

S = Standard feature
O = Optional feature at extra charge
P = Optional package feature
- = Not possible

*Your
Quality Time.*


EURA MOBIL



All of the information in this brochure relates to the products listed herein and does not apply to any other products of Eura Mobil GmbH. The models illustrated in this brochure show the features available in Germany. They may also contain special features and accessories that are not included with the standard scope of delivery.

Due to legal regulations, differences from the model variations described here and equipment featured may be necessary in certain countries. Please ask your Eura Mobil dealer about the exact scope and range available of model-specific and model-neutral features. Subject to errors and changes in design, equipment and special features.

We work constantly to improve the quality of our vehicles, which is why we reserve the right to make changes to their features / optional features in this model year as well. The latest current features, optional features and package contents can therefore only be viewed in the online configurator on euramobil.de.

With regard to installations and conversions, please note / comply with the manufacturer specifications and the legal provisions as defined in the German Road Traffic Licensing Regulations (StVZO) and the German Road Traffic Regulations (StVo).

The publication of this brochure renders all previous catalogues invalid.

© Eura Mobil GmbH 2025

Reprints, including excerpts thereof, are only permitted with the written consent of Eura Mobil GmbH.

Product information from Eura Mobil GmbH. PEM – 2025 GB_UK_01

Last updated: February 2025

Eura Mobil GmbH - Kreuznacher Strasse 78 55576 Sprendlingen (Rhein Hessen)

Tel. +49 6701 / 203 200 - Fax +49 6701 / 203 210 - info@euramobil.de - www.euramobil.de

**[Find a Eura Mobil
dealer near you here!](#)**